



2017 Product Catalog

800.537.3136

Jammy, Inc.
PO Box 471697
Fort Worth, Texas 76147
(817) 737-6566

info@jammyinc.com
jammyinc.com

LED Clearance/Marker Lamps	2-6
LED Stop/Turn/Tail Lamps	7-9
LED Combination Lamps	10
LED ID Bar Lights	11
Retail Lighting Kits	12-13
Agricultural Lighting	13-14
RV, Auxiliary and White Lighting	15-16
Clearance/Marker Lamps	17-21
Stop/Turn/Tail Lamps	21
Combination Lamps	22
ID Bar Lights	23
Replacement Lenses	▶
License Lamps	25-26
Reflectivity/Conspicuity	27-28
Work Lamps	29-31
Boating & Specialty Lights	32-33
Mounting Grommets and Brackets	34-36
Plugs, Wiring and Electronics	37-38
Breakaway Systems	39-40
Trailer Accessories and Hardware	41-42
Cargo Control (Hitch Balls, Locks, etc)	43
Trailer Door Parts	44
Trailer Assembly Components	45-48
Pinchless® Seat Hinges	49
Index	50-56

LED Clearance/Marker Lamps



Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS
5 Series Single Diode LED CL/MK, Aux, Baitwell Light. Mounts into 5/8" hole, with plastic nut All lenses are clear except blue model J-5-B.	J-5-AC	Yellow	Male bullet connectors	16" Leads	200	1
	J-5-RC	Red				
	J-5-GC	Green				
	J-5-C	Clear				
	J-5-B	Blue				
51 Series 3/4 Omni-Directional LED Clearance / Marker Light. PC Rated domed lens meets DOT regulations in any 360° position. Sealed with specially formulated Flex-Seal polyurethane to withstand the harshest environments.	J-51-C	White	Grommet	9" Leads	200	1
	J-51-RC	Red				
	J-51-R	Red				
	J-51-A	Yellow				
LED ID Light Array. 3-Light Harness w/ .180" Male Bullets.	J-51-ID	Red		60" Leads	100	1
53 Series Single Diode LED Light with grommet for 3/4" hole. P2 Rated CL/MK. Bare Wire, blunt cut ends.	J-53-A	Yellow	J-54-GM Grommet	7" Leads	200	1
	J-53-R	Red				
54 Series Single Diode LED Light with grommet for 3/4" hole. P2 Rated CL/MK. Termination: 0.157 male bullets. With wire protecting sleeve. Available with 24" leads: J-54-A24 & J-54-R24	J-54-A	Yellow	J-54-GM Grommet	16" Leads	200	1
	J-54-R	Red				
	J-54-AC	Yellow				
	J-54-RC	Red				
55 Series Single Diode LED Light with grommet for 3/4" hole. PC Rated CL/MK. Termination: 0.157 male bullets.	J-55-A	Yellow	J-54-GM Grommet	16" Leads	200	1
	J-55-R	Red				
	J-55-AC	Yellow				
	J-55-RC	Red				
	J-55-GC	Green				
Clear Lens on these models: J-55-AC (Amber), J-55-RC (Red), J-55-GC (Green), J-55-BC (Blue), J-55-C (Clear).	J-55-BC	Blue	J-54-GM Grommet	16" Leads	200	1
	J-55-C	Clear				
56 Series Single Diode LED Light with grommet for 3/4" hole designed to be more economical with shorter un-jacketed lead wires and no termination. 56 Series Wiring: 6" un-jacketed leads with blunt cut ends.	J-56-A	Yellow	Grommet	6" Leads	200	1
	J-56-R	Red				
16 Series 2" Round Sealed PC Rated LED Light.	J-16-A	Yellow	Grommet	PL-2	200	4
	J-16-R	Red				
151 Series 2" Round Sealed Single Diode LED light. P2 Rated	J-151-A	Yellow	Grommet	PL-2	200	1
	J-151-R	Red				

LED Clearance/Marker Lamps						
LEDS	Qty	Wiring	Mount	Diode Lens	Part # Description	
4	200	PL-2	Uses J-10-GM Grommet		J-15-A	15 Series 2" Round Sealed LED light
				J-15-R		
	200				J-15-AC	2" Round Sealed LED light with clear lens and colored diodes.
				J-15-RC		
	100				J-15-AK	2" Round Sealed LED lamp Kit - w / grommet & harness.
				J-15-RK		
	100				J-15-AKC	2" Round Sealed LED lamp with clear lens and colored diodes kit - includes grommet & harness.
				J-15-RKC		
4	100	PL-2	Screw		J-15-FFA	2" Round Sealed LED light - Flush Flange mount Red Hard Wired Model: J-15-FFRH
	J-15-FFR					
4	200	7" Leads	3M® Tape		J-15-SA	2" Round Sealed LED light - 3M® tape backing.
	J-15-SR					
4	200	PL-2	Grommet		J-1055-A	1055 Series 2" Sealed Beehive LED light.
	J-1055-R					
1	200	PL-2	Grommet		J-21-A	21 Series 2-1/2" Round Single-Diode LED lamp with Class A reflex lens.
	J-21-R					
4	200	PL-2	Uses J-20-GM Grommet		J-25-A	25 Series 2-1/2" Round Sealed LED light
				J-25-R		
	200				J-25-AC	2-1/2" Round Sealed LED light with clear lens and colored diodes.
					J-25-RC	
	100				J-25-AK	2-1/2" Round Sealed LED light kit w / grommet & harness
					J-25-RK	
	100				J-25-AKC	2-1/2" Round Sealed LED lamp with clear lens and colored diodes kit - includes grommet & harness.
					J-25-RKC	
4	100	PL-2	Screw		J-25-FFA	2-1/2" Round Sealed LED light - Flush Flange mount.
	J-25-FFR					
4	100	PL-2	Grommet		J-26-A	26 Series 2-1/2" Round Sealed LED light with Reflex Lens Grommet Kit Models: J-26-AGK, J-26-RGK
	J-26-R					
7	100	6-1/2" Lead	Stud		J-2065-A	2065 Series 2-1/2" Round Sealed LED light. Stud Mount PC Rated Self-Grounding with reflex lens. Not Pictured.
	J-2065-R					





LED Clearance/Marker Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS
	625 Series LED marker lamp with snap off Reflex Lens. (4" W x 2" H)	J-625-A	● ●	2 Screw	6" Lead	200	3
		J-625-R	● ●			200	
	225 Series LED marker lamp with snap off Reflex Lens. 1-wire Self-Grounding (4" W x 1-3/8" H)	J-225-A	● ●	2 Screw	6" Lead	200	2
		J-225-R	● ●			200	
	224 Series LED marker lamp with snap off Reflex Lens. 2-wire or Self-Grounding (4" W x 1-3/8" H)	J-224-A	● ●	2 Screw		200	2
		J-224-R	● ●			200	
	425 Series LED marker lamp with Sealed Reflex Lens. (3-7/8" W x 1-7/8" H)	J-425-AW	● ●	2 Screw	PL-2	200	2
		J-425-RW	● ●			200	
	1025 Series LED stud mount, Self-Grounding, PC rated marker lamp with reflex lens. Colored Base (2.83" W x 2.07" H - 72mm x 53mm)	J-1025-AA	● ●	Single Stud	6" Lead	200	7
		J-1025-RR	● ●			200	
	LED stud mount, Self-Grounding, PC rated marker lamp with reflex lens. Black Base	J-1025-A2	● ●			200	7
		J-1025-R2	● ●			200	
	325 Series LED Bulls-Eye marker lamp with snap off lens. (4" W x 2" H)	J-325-A	● ●	2 Screw	6 1/2" Lead	100	6
		J-325-R	● ●			100	
	LED Bulls-Eye Aux or Dome lamp. (4" W x 2" H)	J-325-C	○ ○			100	
	485 Series LED marker lamp with Reflex lens. Self-Grounding. (6-1/8" W x 2-1/8" H)	J-485-A	● ●	2 Screw	6" Lead	100	2
		J-485-R	● ●			100	
	725 Series Surface Mount CL/MK Light with Reflex Lens (4" x 1-1/2")	J-725-A	● ●	2 Screw	6" Lead	200	2
		J-725-R	● ●				

LED Clearance/Marker Lamps



LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description	
3	100	19" Lead	Stick-On		J-315-A	315 Series Teardrop LED Marker Lamp with chrome base. 3M® Adhesive Backing. (3-1/8" x 1-1/2")	
	100				J-315-R		
2	100	5 1/2" Lead	2 Screw		J-515-A	515 Series 2-1/2" Oval LED Marker Lamps. P2 rated. 2-Wire, includes gasket.	
	100				J-515-R		
2	100	5 1/2" Lead	J-505-GM Grommet		J-515-AC	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, includes gasket. J-505-GM Grommet Sold Separately.	
	100				J-515-RC		
	100				J-515-CC		
2	100	5 1/2" Lead	2 Screw		J-510-A	510 Series 2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, includes gasket. J-505-GM Grommet Sold Separately.	
	100				J-510-R		
2	100	5 1/2" Lead	2-Screw		J-510-AC	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, Self-Grounding, includes gasket. All lamps supplied with black foam gasket and 5-1/2" lead wire. Dimensions: 2.59" Long x 1.1" Wide x 1.83" High (without gasket)	
	100				J-510-RC		
2	100	5 1/2" Hot Lead	Surface Mount		J-510-AS	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, Self-Grounding, includes gasket. All lamps supplied with black foam gasket and 5-1/2" lead wire. Dimensions: 2.59" Long x 1.1" Wide x 1.83" High (without gasket)	
	100				J-510-RS		
2	100	5 1/2" Hot Lead	Surface Mount		J-510-ACS	2-1/2" Oval LED Marker Lamps. PC rated. 2-Wire, Self-Grounding, includes gasket. All lamps supplied with black foam gasket and 5-1/2" lead wire. Dimensions: 2.59" Long x 1.1" Wide x 1.83" High (without gasket)	
	100				J-510-RCS		
2	100	8" Lead	2-4 Screw		J-510-AR	Oval LED Fender Light with Bracket, Right and Left Side Clear Lens	
	100				J-510-FMR		
	100				J-510-FML		
1	200	9" Hot Lead	2-Screw		J-511-AS	511 Series 2-1/2" Oval LED Marine Clearance Marker Lamp. Single diode, P2 Rated, single lens waterproof design with flex-seal potting. Dimensions: 2.55 Long x 1.06" Wide x 0.77" High Self-Grounding	
	200				J-511-RS		
	200				J-511-ACS		
	200				J-511-RCS		
	200	9" Hot Leads	Surface Mount		J-511-A	2-Wire	
	200	9" Hot Leads	Surface Mount		J-511-R	2-Wire	
1	100	14" Hot Lead	1/4" Stud		J-585-SA	585 Series LED Stud-Mount Marine Marker Lamp. Stainless Hardware	
					J-585-SR		

LED Clearance/Marker Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDS
	5735 Series Sealed LED Marker Light. 2-1/2" x 1-1/4" Bracket options on page 36 .	J-5735-A	● ●	Brackets or Grommets	PL-2	200	2
		J-5735-R	● ●				
		J-5735-C	○ ○				
	Sealed LED Marker Light. 2-1/2" x 1-1/4" Stud mount, self-grounding with hollow stainless stud.	J-5735-SA	● ●	Stud	15" Hot Lead	100	2
		J-5735-SR	● ●				
	5765 Series Sealed LED Marker Light. 3-3/4" x 1-1/4" Bracket options on page 36 .	J-5765-A	● ●	J-576 Bracket	1-157" Male Bullets	200	3
		J-5765-R	● ●				
	Sealed LED Fender Light combo. 3-3/4" x 1-1/4"	J-5765-AC J-5765-RC	● ● ● ●				
	Sealed LED Fender Light combo with clear lens (not pictured)	J-5765-AR	● ●	J-576-FM Bracket	8" Leads	200	4
		J-5765-ARC	● ●				
	Sealed LED Fender Light combo with Fender Bracket.	J-5765-AR-FM	● ●	J-576-FM Bracket	8" Leads	200	4
		J-5765-ARC-FM	● ●				
	5505 Series LED Steel Guarded marker lamp with removable lens. (4-1/2" W x 2-1/4" H) Self-Grounding.	J-5505-A	● ●	2 Screws	6" Leads	100	3
		J-5505-R	● ●				
	5265 Series LED Beehive marker lamp. Self-Grounding with steel bracket.	J-5265-A	● ●	2 Screws	7" Leads	200	
		J-5265-R	● ●				
	52 Series Mini LED Fender Light Assembly, Left Side 6-5/8" Long x 1-3/4" Wide x 1 High	J-52-FML	● ●	3 Screws	10" Leads	100	
	Mini LED Fender Light Assembly, Right Side	J-52-FMR	● ●				

Replacement Lenses

Series	Part #	Series	Part #
2065 and 206	● J-206-15-A ● J-206-15-R	500	● J-500-15-A ● J-500-15-R
625	● J-625-15-A ● J-625-15-R	326	● J-326-15-A ● J-326-15-R
225 and 224	● J-225-15-A ● J-225-15-R	122 and 126	● J-126-15-A ● J-126-15-R
1025 and 1024	● J-1024-15-A ● J-1024-15-R	222 and 226	● J-226-15-A ● J-226-15-R
325 and 323	● J-323-15-A ● J-323-15-A ○ J-323-15-C	626	● J-626-15-A ● J-626-15-R
5505 and 550	● J-550-15-A ● J-550-15-R	5265 and 526	● J-526-15-A ● J-526-15-R

LED Stop/Turn/Tail & Backup Lamps							
LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description	
6	50	PL-3	Grommet		J-656-A	656 Series Sealed 6" Oval LED 6-Diode Stop/Tail/Turn Lamp only. Grommet Mount with universal grommet J-60-GM. Flush or Surface Mount	
					J-656-R		
					J-656-RK		
					J-656-RC		
		9" Lead		J-656-FR	Available w/ Weather Tight Amp Connector. Contact us for details.		
				J-656-FRC			
7	50	PL-3	Grommet		J-67-A	67 Series 6" Oval 7-Diode Stop Tail Turn LED Lamp. Light only. Amber and Clear are AUX only. Hard Wired Model: J-67-RH	
					J-67-R		
					J-67-C		
7	50	PL-3	Grommet		J-67-AK	KIT 6" Oval 7-Diode Stop Tail Turn LED Lamp. Light Kit. Includes grommet & harness.	
					J-67-RK		
					J-67-CK		
7	50	9" Lead	4 Screw		J-67-FR	Sealed 6" Oval LED 7 Red Diodes Stop/Tail/Turn Flange (surface) Mount.	
					J-67-FRC		
8	50	PL-3	Grommet		J-64-A	64 Series 6" Oval LED Mid-Ship Marker and Side Turn Light.	
					J-64-AK		
8	50	9" Lead	4 Screw		J-64-FA	6" Oval LED Mid-Ship Flange (surface) Mount	
10	50	PL-3	Grommet		J-66-A	66 Series Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Lamp only. Clear Lens Models: J-66-AC, J-66-RC Hard Wired Model: J-66-RH	
					J-66-R		
					J-66-C		
10	50	PL-3	Grommet		J-66-AK	Kit Sealed 6" Oval LED 10-Diode Kit. Includes: Grommet & Harness. Clear Lens Models: J-66-ACK, J-66-RCK	
					J-66-RK		
					J-66-CK		
10	50	9" Lead	4 Screw		J-66-FA	Sealed 6" Oval LED 10-Diode Stop/Tail/Turn Flange (surface) Mount. Clear Lens Models: J-66-FAC, J-66-FRC	
					J-66-FR		
					J-66-FC		
25	50	9" Lead	Grommet or Flange		J-6625-A	6625 Series Amber 6" Oval LED Class 2 Strobe Light Red 6" Oval LED Class 2 Strobe Light Combo 6" Oval LED S/T/T & Class 1 Strobe Light Amber Flange Mount 6" Oval LED Class 2 Strobe Light Red Flange Mount 6" Oval LED Class 2 Strobe Light Combo Flange Mount 6" Oval LED S/T/T & Class 1 Strobe Light	
					J-6625-R		
					J-6625-RC		
					J-6625-FA		
					J-6625-FR		
					J-6625-FRC		

* Contact us for Availabilty of Multi-Volt (12/24) Volt Versions of all 6" Oval LED Lights

* Contact us for Availability of Multi-Volt (12/24) Volt Versions of all 6" Oval LED Lights

Order: 800.537.3136 or sales@jammyinc.com

LED Stop/Turn/Tail & Backup Lamps



35 Series

Sealed LED rectangular Stop/Tail/Turn lamp only.
Clear Lamp Certified As Single Lamp Backup.
(5" H x 3-1/4" W) Available In 24 Volt Versions

J-35-A



Grommet

PL-3

Qty

LEDS

J-35-R



Grommet

PL-3

Qty

LEDS

J-35-C



Grommet

PL-3

Qty

LEDS

KIT

Sealed LED rectangular lamp kit
includes grommet & harness.
Grommet Kit Models: J-35-AGK / RGK / CGK

J-35-AK



Grommet

PL-3

Qty

LEDS

J-35-RK



Grommet

PL-3

Qty

LEDS

J-35-CK




Grommet

PL-3

Qty

LEDS



44 Series

Sealed 4" round LED Stop/Tail/Turn lamp only
Hard Wired Model: J-45-RH

J-44-A



Grommet

PL-3

Qty

LEDS

J-44-R



Grommet

PL-3

Qty

LEDS

Sealed 4" round LED Kit
Includes grommet & harness.

J-44-AK



Grommet

PL-3

Qty

LEDS

J-44-RK




Grommet

PL-3

Qty

LEDS



Sealed 4" round LED Stop/Tail/Turn & Backup
lamp only. Clear Lens Models: J-4412-AC, J-4412-RC

J-4412-AK



Grommet

PL-3

Qty

LEDS

J-4412-RK



Grommet

PL-3

Qty

LEDS

J-4412-CK



Grommet

PL-3

Qty

LEDS

Sealed 4" round LED Kit. Includes grommet & harness.
Clear Lens Models: J-4412-ACK, J-4412-RCK

J-4412-A



Grommet

PL-3

Qty

LEDS

J-4412-R



Grommet

PL-3

Qty

LEDS

J-4412-C



Grommet

PL-3

Qty

LEDS



4412F Series

Flat 4" round LED Stop/Tail/Turn lamp only.
5" leads with male Bullet Terminals

J-4412-FRX



3 Screws

.157 Male Bullets

Qty

LEDS

J-4412-FRB



3 Screws

.157 Male Bullets

Qty

LEDS

Available with or without Reflex Ring

J-4412-FRC



3 Screws

.157 Male Bullets

Qty

LEDS



7525 Series

LED 4" Round Pedestal Mount Stop Lamp with
Single Stud and Clamp, Self-Grounding.

J-7525-R



Single Stud

9" Hot Lead

Qty

LEDS



37 Series

15-Diode 3"x 5" Slim LED S/T/T Surface Mount Lamp

J-37-A



4 Screws

4" Lead

Qty

LEDS

J-37-R




4 Screws

4" Lead

Qty

LEDS



275 Series

LED Surface Mount AG Stop Tail Turn & Warning
Lamp. 6.7" x 3.15" x .95". Mounts on 5.75" Centers

J-275-A



2 Screws thru Lens

8" Lead

Qty

LEDS

J-275-R



2 Screws thru Lens

8" Lead

Qty

LEDS

LED Stop/Turn/Tail & Backup Lamps						
LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description
8	10	9" Lead	4 Screw	 	J-84-A	84 Series 7" School Bus Warning Lamps. Fail Safe Auto Flash Function and Optional Strobe Mode.
				 	J-84-R	
27	10	6" Lead	4 Screw	 	J-85-A	85 Series Sealed 7" Round LED Bus/Transit Tail Light
				 	J-85-R	
27	10	6" Lead	4 Screw	 	J-85-C	Sealed 7" Round LED Bus/Transit Back Up Light
11	50	15" Lead (3 Wires)	2 Screw	 	J-535-A3	535 Series Amber LED Marker and Turn Indicator Light Bar (15-1/2"L, 1-5/8"W, 3/4"H)
11	50		2 Screw	 	J-535-R	Red LED Stop/Tail/Turn Light Bar (15-1/2"L, 1-5/8"W, 3/4"H)
				 	J-535-RC	
11	50		2 Screw	 	J-535-C	Clear (White) LED Reverse/Back Up Light Bar (15-1/2"L, 1-5/8"W, 3/4"H)
N/A	50	N/A	2 Screw	N/A	J-535-BZC	Chrome Base for 535 Series Light Bars.
24	20	6" Lead	4 Screw	 	J-241-A	240 Series Single panel LED light. (5-1/4" H x 7-3/4" W) Clear Backup Model: J-241-C
				 	J-241-R	
				 	J-241-C	
48	10	Packard Plug	Stud or top mount	 	J-242-AR	Double Panel LED light, Rear Mount.
				 	J-242-M	Double Panel LED light, Top Mount
72	6	Packard Plug	Stud Mount	 	J-243-ARC	Triple Panel LED light, Amber/Red/Clear Combo.
28	6	15" Leads	2 Screw Mount	 	J-536-R	536 Series 36" Stop/Tail/Turn LED Lightbar. Requires 5/8" Hole for wires. Contact Us for additional color options.
N/A	50	N/A	2 Screw	N/A	J-536-BZC	Chrome Base for 536 Series Light Bars (not pictured).

LED Combination Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDs
	75 Series 8" x 2-3/4" Submersible Over 80" LED 7-Function Combination lamp.	Curb Side J-75	● ●	2" x 1/4" Studs on 2" Center	14" Lead	50	17
	LED Over 80" 8-Function Combination Lamp.	Street Side J-75-L	● ●			50	21
	71 Series Over 80" LED 7-Function Submersible LED Combination Marine Lamp. Dimensions: 6-1/4" L x 3-3/4" W x 1-7/8" D.	Curb Side J-71	● ●	2 x 1/4" Studs on 2" Center	8" Lead	50	13
	LED 8-Function Combination Lamp.	Street Side J-71L	● ●			50	17
	72 Series Over 80" Submersible LED 7-Function Combination Lamp (6-1/8"L, 3-5/8"W, 2-1/4"D)	Curb Side J-72	● ●	2" x 1/4" Studs on 2" Center	8" Lead	50	18
	LED 8-Function Combination Lamp.	Street Side J-72-L	● ●			50	23
	24245 Series Under 80" Submersible LED 6-Function Combination Lamp with Gasketed Lenses 4-1/2" x 5-1/2"	Curb Side J-24245	● ●	2" x 1/4" Studs on 2" Center	14" Hot Lead	24	14
	LED 7-Function Combination Lamp.	Street Side J-24245-L	● ●			24	18
	20245 Series Under 80" LED 6-Function Combination Lamp (Not Submersible) 4-1/2" x 5-1/2"	Curb Side J-20245	● ●		Push Connector	24	14
	LED 7-Function Combination Lamp	Street Side J-20245-L	● ●			24	18
	20445 Series Over 80" Trailers Submersible LED 7-Function Combination Lamp. 4-1/2" x 6"	Curb Side J-20445	● ●	2" x 1/4" Studs on 2" Center	14" Lead	24	20
	Submersible LED 8-Function Combination Lamp	Street Side J-20445-L	● ●			24	16
	2077 Series 7-Function Slim LED Combination Lamps. Featuring Multi-Flex faceted reflector technology. 5.60W" x 4.58H" x 1.97"D	Curb Side J-2077	● ●	2" x 1/4" Studs on 2" Center	13" Lead	24	18
	8-Function Slim LED Combination Lamps.	Street Side J-2077L	● ●			24	20



LED ID Bar Lights


11

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description	
6	50	56" Hot Lead	2 Screw	● ●	J-VID	VID Series 14" LED ID Bar with 7 Degree Bend, Submersible	
6	50	60" Lead	2 Screw	● ●	J-5695-R	5695 Series LED Light Bar with Black Plastic Base. Uses Three J-5735-R (16-5/8"L, 1-5/8"W, 1-1/2"D)	
11	50	15" Lead 4 Wires	2 Screw	● ●	J-5354-R	5354 Series LED Style-Side ID Light Bar with AUX 3rd Brake / Turn Red Diodes (15-1/2" L, 1-5/8" W, 3/4" H)	
				○ ●	J-5354-RC		
3	50	2 Wires 15" Lead (3 Wires)	2 Screw	● ●	J-5353-R3 (ID and 3rd Brake)	5353 Series LED Style-side ID Light Bar (15-1/2" L, 1-5/8" W, 3/4" H) Clear Lens Models: J-5353-RC/AC	
				● ●	J-5353-A3 (Front ID)		
6	50	12" Lead	2 Screw	● ●	J-555-R	555 Series LED ID Bar with Black plastic base. Uses Three J-515-R Lights. (16-5/8" L, 1-1/2" H, 1-1/2" D)	
				○ ●	J-555-RC		
6	50	12" Lead	2 Screw	● ●	J-555-A	LED ID Bar with Black plastic base. Uses Three J-515-A Lights. (16-5/8" L, 1-1/2" H, 1-1/2" D)	
				○ ●	J-555-AC		
6	50	12" Lead Self-grounding	2 Screw	● ●	J-5735-3BR	5735 Series LED ID Bar with Black metal base.	
				● ●	J-5735-3WR	LED ID Bar with White metal base.	
				● ●	J-5735-3SR	LED ID Bar with Polished Stainless metal base.	
12	50	12" Lead Self-grounding	2 Screw	● ●	J-5085-R	5085 Series LED Beehive ID Bar Light, Self-Grounding. Black Powder Coat Base	

Order: 800.537.3136 or sales@jammyinc.com

Retail Lighting Kits

	Description	Part #	Tail Lamp Wiring	Marine Lamps	Marker Lamps	Qty
	71 Series LED Over 80" Submersible Clamshell Kit. Includes: J-71, J-71L, J-5024-WH, J-2023-BRK & Hardware	J-71-KC	8" Leads	Yes	No	10
	72 Series LED Over 80" Submersible Clamshell Kit. Includes: J-72, J-72L, J-5024-WH, J-2023-BRK & Hardware	J-72-KC	8" Leads	Yes	No	10
	73 Series Over 80" Submersible Clamshell Kit. Includes: J-73, J-73L, J-5024-WH, J-2023-BRK & Hardware	J-73-KC	8" Leads	Yes	No	8
	75 Series LED Over 80" Submersible Clamshell Kit. Includes: J-75, J-75L, J-5024-WH, J-2023-BRK & Hardware	J-75-KC	8" Leads	Yes	No	10
	2024 Series Under 80" Deluxe Clamshell Kit. Includes: J-2024, J-2024L, (2) J-1024-A, J-5024-WH, J-2023-BRK & Hardware	J-2024-NCD	Push Connector	No	Yes	10
	2044 Series Over 80" Deluxe Clamshell Kit. Includes: J-2044, J-2044L, (2) J-573-SA, J-5024-WH, J-2023-BRK & Hardware	J-2044-NCD	14" Leads	Yes	Yes	10
	20445 Series LED Over 80" Deluxe Clamshell Kit. Includes: J-20445, J-20445L, (2) J-5735-SA, J-5024-WH, J-2023-BRK & Hardware	J-20445-NCD	14" Leads	Yes	Yes	10

					Retail Lighting Kits	
Qty	Marker Lamps	Marine Wiring	Tail Lamp	Part #	Description	
10	No	No	Push Connector	J-20245-NC	20245 Series LED Under 80" Standard Clamshell Kit. Includes: J-20245, J-20245L, J-5024-WH, J-2023-BRK & Hardware	
10	No	Yes	14" Leads	J-24245-NC	24245 Series LED Under 80" Submersible Clamshell Kit. Includes: J-24245, J-24245L, J-5024-WH, J-2023-BRK & Hardware	

13

					Agriculture Lighting	
LEDs	Qty	Wiring	Mount	Diode Lens	Part #	Description
	1	4-Wire Pack	KIT	N/A	J-AEM	AC2 KIT LED 4-Wire AG Lighting Kit. Includes: J-AC2-L4, J-AC2-R4, J-AGM-WH, J-AGW-WH4, J-AEM-48. Optional Magnet Kit: J-AMK
30	24	12" Lead	4 Screw	● ●	J-AC1-AA	AC1 Series LED Ag Single Lamp, 2 Wire Connector, Double side, weather pack connectors standard.
15	24	12" Lead	4 Screw	● ●	J-AC1-RB	LED Ag Single Lamp, 2 Wire Connector, Single side, weather pack connectors standard.
45	12	12" Lead	4 Screw	● ●	J-AC2-L3	AC2 Series LED Ag Combo Double Left Side Lamp with 3 wire connector, Weather Pack or Tri-Plug
45	12	12" Lead	4 Screw	● ●	J-AC2-R3	LED Ag Combo Double Right Side Lamp with 3 wire connector, Weather Pack or Tri-Plug
45	12	12" Lead	4 Screw	● ●	J-AC2-L4	LED Ag Combo Double Left Side Lamp. Amber/Red lens configuration with 4 wire connector for Brake Function.
45	12	12" Lead	4 Screw	● ●	J-AC2-R4	LED Ag Combo Double Right Side Lamp. Red/Amber lens configuration with 4 wire connector for Brake Function.
24	24	18" Lead	Single stud	● ●	J-755-AA	755 Series LED Dual Face Pedestal Lamp. 4" Round Warning Light.
24	24	18" Lead	Single stud	● ●	J-755-AR	LED Dual Face Pedestal Lamp. 4" Round Stop/Turn/Tail Model.
12	24	18" Lead	Single stud	● ●	J-755-RB	LED Single Face Pedestal Lamp. 4" Round Stop/Turn/Tail Model

Order: 800.537.3136 or sales@jammyinc.com

Agricultural Lighting

14

Description

Part

Color

Mount

Wiring

Qty

AB Series

Ag Single Lamp, 2 Wire Connector, Double side, weather pack connectors standard.

J-AB1-AA



4 Screw

2" Lead

24

Ag Single Lamp, 2 Wire Connector, Single side, weather pack connectors standard.

J-AB1-RB



4 Screw

12" Lead

24

Ag Combo Double Left Side Lamp with 3 wire connector, Weather Pack or Tri-Plug

J-AB2-L3



4 Screw

12" Lead

12

Ag Combo Double Right Side Lamp with 3 wire connector, Weather Pack or Tri-Plug

J-AB2-R3



4 Screw

12" Lead

12

Ag Combo Double Left Side Lamp. Amber/Red lens configuration with 4 wire connector for Brake Function.

J-AB2-L4



4 Screw

12" Lead

12

Ag Combo Double Right Side Lamp. Red/Amber lens configuration with 4 wire connector for Brake Function.

J-AB2-R4



4 Screw

12" Lead

12

PGR Series

2" x 9" Ag Reflex Strip

J-PGR-9S



2" x 9"

9" Individual Strips

100

PGY Series

2" x 9" Ag Reflex Strip

J-PGY-9S



2" x 9"

9" Individual Strips

100

AEM Series

Ag Enhance Flasher Module for Incandescent and LED Agricultural Lights. 4-Wire Input. Custom Wire Termination Available. 2x 4-Way Output with W/P Connectors.

J-AEM-48

24

6-Wire Output, No Wire Termination (Not Pictured)

J-AEM-46

48

AG Adapters

Wire Harness Adapter: **2 Way** Weather Pack to 2 wire .180

J-AG2-WH

1

Wire Harness Adapter: **3 Way** Weather Pack to 3-Way .180

J-AG3-WH

1

Wire Harness Adapter: **4-Way** Weather Pack to .180 bullets

J-AG4-WH

1

AGM Series

Main Harness with 7-Way Ag Plug to 4-way weather pack connector.

J-AGM-WH8

8'

15

J-AGM-WH16

16'

10

J-AGM-WH21

21'

10

AGW Series

Rear Harness for Ag lighting system. Mates with AGM or AEM Seires parts. Available for 3 and 4 wire Ag Light systems.s

J-AGW-WH8

8'

30

J-AGW-WH20

20'

30

3' Extension for 4-Wire Harnesses

J-AGX-WH3

3'

50

7007 Series



7-Way Plug (ATA/Ag/Round Pin) with Spring Hanger

J-7007-WH

N/A

50

RV, Auxiliary & White Lighting

Qty	Cert.	Wiring	Mount	Lens	Part #	Description	
50	CSA	48" Cable	Clip	○	D-25	25 Series Single Dome Interior lamp with Coiled Cord & Plug. 7" x 4-1/4" with Switch	
50	Standard	6" Lead	Screw	○	J-92	92 & 22 Series Double Dome/Interior Light	
	CSA	6" Lead	Screw	○	D-22	12" x 4-1/4" Dual lamp with switch	
25	CSA	6" Lead	Screw	○	D-24	24 Series Double Dome/Interior Light with plug recepticle. 12" x 4-1/4" Dual lamp with switch	
50	Standard	6" Lead	Screw	○	J-91	91 & 21 Series Single Dome Interior Lamp	
	CSA	6" Lead	Screw	○	D-21	7" x 4-1/4" with Switch	
50	CSA	6" Lead	Screw	○	D-23	23 Series Single Dome Interior Lamp with plug recepticle. 7" x 4-1/4" with Switch	
25	CSA	48" Cable	Clip	○	D-98	98 Series Fan/Light Combo with Coiled Cord & Plug. 6-1/4" x 3-7/16"	
100	Standard	6" Lead	Screw	○	J-96-WNC	96 Series Euro Style Oval Porch Light.	
				●	J-96-BSA	Available with (S)witch or (N)o Switch, (W)hite or (B)lack base, (A)mber or (C)lear Lens. Examples: J-96-WSC and J-96-WNA 6-1/4" x 3-7/16"	
50	CSA	6" Lead	Screw	○	D-92	D92 Series Slim Euro Style Economy Double Interior Lamp. 10-1/4" x 4-1/8" White Base with Switch	
100	CSA	6" Lead	Screw	○	D-91	D91 Series Slim Euro Style Economy Single Interior Lamp. 6-3/8" x 4-1/8" White Base with Switch	
100	Standard	6" Lead	Screw	○	J-97-WSC	97 Series Rectangular Porch Light. 6-1/2" x 3-5/8"	
				●	J-97-BNA	Available with (S)witch or (N)o Switch, (W) White or (B)lack base, (A)mber or (C)lear Lens. 6" x 3-1/2"	

RV, Auxiliary & White Lighting

16



916 Series

High Output LED Single RV Interior Dome Light
350 Lumens, Warm White, Wide Angle, 7" x 4-1/4"

J-916

300
mA

14 LED

6" Lead

50



926 Series

High Output LED Double RV Interior Dome Light
700 Lumens, Warm White, Wide Angle, 12" x 4-1/4"

J-926

600
mA

28 LED

6" Lead

50



95 Series

LED Euro Style Single Interior Dome Light with Switch.
355 Lumens, Warm White, Wide Angle, 6 Diodes
6-3/8" x 4-1/8"

D-95

150
mA

6 LED

6" Lead

100



96 Series

LED Double Interior Dome Light with Switch
180 Lumens, Warm White, Wide Angle, 12 Diodes
10-1/4" x 4-1/8"

D-96

300
mA

12 LED

6" Lead

50



455 Series

Compact LED Dome Light with Switch.
207 Lumens, Cool White, Wide Angle, 14 Diodes

J-455-SC

300
mA

14 LED

6" Lead

50



241 Series

Slim LED Dome Light, No Switch, 24 Diodes

J-241-C

550
mA

24 LED

6" Lead

20



D60 Series

6" Dome Lamp with Stainless Base.
CSA Certified, Clear Lens.

D-61

2.0
Amps

1156 Bulb

6" Lead

50

6" Dome Lamp with Stainless Base & Switch

D-63

2.0
Amps

1156 Bulb

6" Lead

50



80 Series

7-1/4" Scare light. White Base

J-80-WC

2.20
Amps

1156 Bulb

6" Lead

24

7-1/4" Scare light. Stainless Base

J-80-SC

2.20
Amps

1156 Bulb

6" Lead

24

Clearance/Marker Lamps				
Qty	Wiring	Mount	Lens	Part # Description
200	6" Hot Wire	2 Screw		J-500-A
				J-500-R
500 Series 1-1/2" W, 3-1/4" L, 1" H Self-Grounding Clearance / Marker Lamp				
200	6" Hot & ground wire	2 Screw		J-500G-A
200				J-500G-R
1-1/2" W, 3-1/4" L, 1" H, with ground wire Clearance / Marker Lamp				
200	6" Hot Wire	2 Screw		J-526-A
200				J-526-R
526 Series Bee Hive light with attached mounting bracket 2-5/8" diameter Clearance / Marker Lamp Now Available in LED, Models: J-5265-A, J-5265-R				
100	5" Hot Wire	2 Screw		J-550-A
100				J-550-R
550 Series Self-Grounding Steel armored guard Marker Light 4-1/2" L x 2-1/4" H x 1-3/8" D				
100	12" Pigtail	2 Screw		J-PB201-A
100				J-PB201-R
PB201 Series Reflex lens with S/S bezel 6" L, 1-3/4" H, 1/2" D				
200	6" Hot Wire	1 Stud		J-1024-A
200				J-1024-R
1024 Series Stud Mount Self-Grounding Marker Lamp with reflex lens 2-3/4" L, 2-1/8" H, 3/4" D				
200	Push connectors	2 Screw		J-1024-APC
Model 1024 w/push connector wiring				
200	6" Pigtail	1 Stud		J-1024-AA
Same as J-1024-SA with all amber housing PC Rated Now Available in LED, Models: J-1025-A, J-1025-R				
200	6" Pigtail	1 Stud		J-1024EM-A
200				J-1024EM-R
Ear Mount Self-Grounding Marker Lamp with Reflex lens 3-7/8" L, 2-5/8" H, 1" D				
200	7" Lead	2 Screws		J-301-A
200				J-301-R
301 Series CL/MK Lamp with Reflex Lens and Twist-Lock Plug. 4" L x 1-5/8" H				

Clearance / Marker Lamps

18



576 Series

Two bulb, sealed, 3-3/4" L, 1-1/4" H, 7/8" D
(Reference # 2, 3 for mounting brackets)

J-576-A

J-576-R



Bracket

2 - Male Plug-in-ins (no wires)

400
400

Combo two bulb sealed, (1/2 amber, 1/2 red)
3-3/4" L, 1-1/4" H, 7/8" D
(Reference # 2, 3, 7 for mounting brackets)

J-576-A/R



Bracket

400

573 Series

Sealed light, 2-1/2" L, 1-1/4" H, 7/8" D

J-573-A

J-573-R

J-573-C



Mount with 573 Series bracket

2 - female Plug-in-ins (no wires)

400
400

Light Kit including J-573 Lamp, Chrome Bracket
(J-573-BRK-B) and Wire Harness (J-10-WH).

J-573-AK

J-573-RK



2 Screw

7" Pigtail

100
100

Sealed light, Stud Mounted, Self-Grounding
2-1/2" L, 1-1/4" H, 7/8" D

J-573-SMA

J-573-SMR



Single Stud

20" Hot Lead

400
400

272 Series

(Left Fender)

D-272-L



3 Screw Mount

5" Leads

25

Fender mount assembly with removable lenses.
Base: 4-7/8" x 3-1/8" + 3-1/2" Wire Guard

(Right Fender)

D-272-R



25

572 Series

(Left Fender)

J-572-L



5 Screw

15" Pigtail

50

Fender mount kit for over 80" trailers.
Self-Grounding, includes durable ABS housing with wire guard, J-573-R mounted to the rear and J-573-A to the front.
Base: 3" x 4-3/4" + 4" wire guard.

(Right Fender)

J-572-R



50

576 Series

Fender Mount Bracket for over 80" trailers.
(Includes bracket and J-576-A/R Lamp.)
Base: 4" x 1" + 4" Wire Guard

J-576-A/R-FM



4 Screw

8" Pigtail

200

326 Series

Self-Grounding Marker Lamp with snap off reflex lens and plug-in hot and ground connections. 4 3/4" x 1 7/16" x 1 1/4"

Black Base

J-326-BA

J-326-BR



2 Screw Internal

Plug-in

200

White Base

J-326-WA

J-326-WR



Clearance / Marker Lamps				
Qty	Wiring	Mount	Lens	Part # Description
200	7" Lead	2 Screw Internal		J-426-BA Black Base
				J-426-BR
				J-426-WA White Base
				J-426-WR
Marker Lamp with twist lock plug and foam gasket. Fits 5/8" cut out. 3 7/8" x 1 7/8"				
200	7" Lead	2 Screw Internal		J-323-A
				J-323-R
				J-323-C
Two-Bulb snap off bulls-eye lens marker lamp Self-Grounding 2" x 4". LED Models: J-325-A, J-325-R, J-325-C				
200	6" Lead	2 Screw Internal		J-726-A
				J-726-R
Surface Mount CL/MK Light with Reflex Lens				
200	6" Lead	2 Screw Internal		J-126-AW
				J-126-RW
2" x 4" oval marker light with removable reflex lens and white base. Self-Grounding				
200	6" Lead	2 Screw Internal		J-122-A
				J-122-R
2" x 4" oval marker light with removable reflex lens and white base. Self-Grounding with 2 Bulbs.				
100	6" Lead	2 Screw		J-480-A
				J-480-R
6 1/8" W x 2 1/8" H Marker light				
200	6" Lead	2 Screw Internal		J-226-A
				J-226-R
4" x 1 3/8" self-grounding marker lamp with snap off reflex lens. 2 wire version: J-227-A, J-227-R				
100	Twist Lock with 7" Lead	2 Screw Internal		J-626-A
				J-626-R
Two-Bulb 4"x 1-3/8" self-grounding marker lamp with snap off reflex lens. 2 wire version: J-223-A, J-223-R				
200	6" Lead	2 Screw Internal		J-222-A
				J-222-R
4"x 2" marker lamp with twist lock plug, snap off reflex lens. Black base models: J-626-AB, J-626-RB				





Clearance / Marker Lamps

20

Description

Part

Lens

Mount

Wiring

Qty

10 Series

2" round sealed lamp only.

J-10-A

Yellow

Grommet

2 - Female Plug-in For J-10-WH Kits Include Harness

200

J-10-R

Red

Grommet

2" round sealed lamp Kit
with grommet & harness.

J-10-AK

Yellow

Grommet

100

J-10-RK

Red

Grommet

Flange Mounted 2" sealed lamp.

J-10-FFA

Yellow

Screw

100

J-10-FFR

Red

Screw

20 Series

2-1/2" round/sealed/reflex lamp only.

J-20-A

Yellow

Grommet

200

J-20-R

Red

Grommet

2-1/2" round/sealed/reflex lamp Kit
with grommet & harness.

J-20-AK

Yellow

Grommet

100

J-20-RK

Red

Grommet

Flange Mounted 2-1/2" sealed w/ reflex lamp.

J-20-FFA

Yellow

Screw

100

J-20-FFR

Red

Screw

105 Series

2" round Bee Hive sealed light
(Reference # J-10-GM for mounting grommet)

J-105-A

Yellow

Grommet

200

J-105-R

Red

Grommet

205 Series

2-1/2" round/sealed w/ reflex lamp.
Black Base, Stud Mount, Self-Grounding

J-205-A

Yellow

1 Stud

200

J-205-R

Red

1 Stud

206 Series

2-1/2" round light with REMOVABLE reflex lens.
Black Base, Stud Mount, Self-Grounding

J-206-A

Yellow

1 Stud


200

J-206-R

Red

1 Stud

Stop/Tail/Turn & Backup Lamps

Qty	Wiring	Mount	Lens	Part #	Description	
50	3 Female Plug-ins	Grommet	●	J-40-A	40 Series	
			●	J-40-R	4" Round, Sealed Stop, Stop/Tail/Turn & Backup Lamps.	
			○	J-40-C	(Lamp Only)	
50	3 Female Plug-ins (with wires)	Grommet	●	J-40-AK	4" Round, Sealed Stop/Tail/Turn & Backup Lamp Kit.	
			●	J-40-RK	(with grommet & harness)	
			○	J-40-CK		
50	3 Female Plug-ins	Grommet	●	J-42-R	42 Series	
					4" Round, Sealed Stop, Tail & Turn Lamp w/ REFLEX	
50	3 Female Plug-ins (with wires)	Grommet	●	J-42-RK	4" Round, Sealed Stop, Tail & Turn Lamp w/ REFLEX Kit	
					(with grommet & harness)	
50	9" Leads	3 Screws	●	J-750-A	750 Series	
			●	J-750-R	4" Round Flange Mount Self-Grounding Lamp with	
			○	J-750-C	Plastic Housing. 5 1/2" diameter x 2" deep	
48	9" Leads	Stud	●	J-752-R	752 Series	
					Stop, Turn, Tail - 4-3/8" dia., 3/8" dia x 1" L stud (Black powder coated body)	
48	3 Female Plug-ins	Grommet	●	J-60-A	60 Series	
			●	J-60-R	6" Oval, Sealed Stop/Tail/Turn & Backup Lamps.	
			○	J-60-C	(Lamp Only)	
50	3 Female Plug-ins (with wires)	Grommet	●	J-60-AK	6" Oval, Sealed Stop/Tail/Turn & Backup Lamps Kit.	
			●	J-60-RK	(with grommet & harness)	
			○	J-60-CK		
48	3 Female Plug-ins	Grommet	●	J-61-R	61 Series	
					Oval J-60 Lamp with Black Housing. (Lamp only)	
50	3 Female Plug-ins (with wires)	Grommet	●	J-61-RK	Oval J-60 Lamp with Black Housing Kit.	
					(with grommet & harness)	
50	3 Female Plug-ins	Grommet	●	J-63-A	63 Series	
					6" Oval Mid-Ship Marker lamp. (Lamp only)	
50	3 Female Plug-ins (with wires)	Grommet	●	J-63-AK	6" Oval Mid-Ship Marker Lamp Kit.	
					(with grommet & harness)	
50	3 Female Plug-ins	Grommet	●	J-30-A	30 Series	
			●	J-30-R	Sealed Rectangular Stop/Tail/Turn & Backup Lamps.	
			○	J-30-C	(lamp only) (5" H x 3-1/4" W)	
50	3 Female Plug-ins (with wires)	Grommet	●	J-30-AK	Sealed Rectangular Stop/Tail/Turn lamp Kit.	
			●	J-30-RK	(with grommet & harness) (5" H x 3-1/4" W)	
			○	J-30-CK		

Combination Tail Lamps

22

	Description	Part #	Lens	Mount	Wiring	Qty
	2014 Series Stud mount Stop/Tail/Turn lamp for under 80" (4" diameter)	Curb Side J-2014	●	2 Studs	2 6" Pigtails	100
		Street Side J-2014-L			4 - Female Press-ins	
	2023 Series Combination tail light for trailers under 80" with Stainless Hardware, No Wires. 4-1/2" x 5-1/2"	Curb Side J-2023	●	2 Studs	4 - Female Press-ins	48
		Street Side J-2023-L			or 7" wires	
	2024 Series Combination tail light for trailers under 80" with 7" Hot Lead Wires 4-1/2" x 5-1/2"	Curb Side J-2024	●	2 Studs	4 - Female Press-ins	48
		Street Side J-2024-L			Press-ins	
	2034 Series Combination tail light for trailers over 80" 4-1/2" x 6"	Curb Side J-2034	●	2 Studs	4 - Female Press-ins	48
		Street Side J-2034-L				
	2044 Series Over 80" Submersible Combination tail light (Gaskets on both rear & side lens) 4-1/2" x 6"	Curb Side J-2044	●	2 Studs	15" Leads	48
		Street Side J-2044-L				
	73 Series Over 80" Low-profile Submersible combination lamp. (3" x 8")	Curb Side J-73	●	2 Studs	12" Leads	50
		Street Side J-73-L				
	90 Series RV Style S/T/T Lamp w/ Snap-off lens. (8 5/8" x 4 5/8") White Base (Pictured)	Curb Side J-90	●	Screw on	6" Leads	50
		Street Side J-90-L				
	RV Style S/T/T Lamp w/ Snap-off lens. (8 5/8" x 4 5/8") Black Base (Not Pictured)	Curb Side J-90-B	●	Screw on	6" Leads	50
		Street Side J-90-LB				
	90 Series RV Style S/T/T Lamp w/ Reverse Light. (8 5/8" x 4 5/8") White Base	Curb Side J-90-R	●	Screw on	6" Leads	50
		Street Side J-90-RL	○			
	70 Series Low profile Submersible combination lamp. (6-1/8" L x 3-5/8" W x 2-1/4" D) over 80"	Curb Side J-70	●	2 Studs	8" with plug 6" ground	48
		Street Side J-70-L				

					ID Bar Lights	
Qty	Wiring	Mount	Lens	Part #	Description	
50	12" Pigtail	2 Screw	●	J-500-3BA	500 Series Light bar- black metal base (15-1/2" L, 1-1/4" H, 1-1/4" D)	
			●	J-500-3BR		
50	12" Pigtail	2 Screw	●	J-500-3WA	Light bar- white metal base (15-1/2" L, 1-1/4" H, 1-1/4" D)	
			●	J-500-3WR		
50	12" Pigtail	2 Screw	●	J-508-R	508 Series Light bar- blackmetal base - with Bee Hive lights (13-3/4" L, 8-1/2" centers) Black Metal Base	
50	12" Pigtail self-grounding	2 Screw	●	J-573-3BR	Black Metal Base	573 Series Red Tri-Bar using sealed J-573-R lights. (15-1/2" L, 1-1/4" H, 1-1/4" D)
			●	J-573-3WR	White Metal Base	
			●	J-573-3SR	Stainless Metal Base	
50	12" Pigtail	2 Screw	●	J-569-A	569 Series Light bar with black plastic base. Uses J-573 sealed lights. Complete w/ 60" pigtail. 16-5/8" L x 1-1/2" H x 1-1/2" D	
			●	J-569-R		

Replacement Lenses					
Series	Part #		Series	Part #	
2024/34/44	●	J-2024-15-R	Front Lens	J-91/D-21 & 92	○ D-91-15-C
2034/44/445	●	J-2034-15-SR	Side Lens	D-91/92	○ D-91-15-C
20245/20445	●	J-20245-15-R	Front Lens	J-96	○ J-96-15-C ● J-96-15-A
2014	●	J-2014-15-R		J-97	○ J-97-15-C ● J-97-15-A
AB1/AB2	●	J-AB1-15-R	● J-AB1-15-A ● J-AB1-15-B	AC1/AC2	● J-AC1-15-A ● J-AC1-15-R ● J-AB1-15-B
750/752	●	J-750-15-R	○ J-750-15-C	J-90 & J-90-L	● J-90-15-R ● ○ J-90L-15-R

Curb Side or Street Side

LED License Lamps

	Description	Part #	Lens Diode	Mount	Wiring	Qty	LEDs
	605 Series Sealed LED license light. Black body with clear light 3-3/4" L, 2-1/8" H, 3" D	J-605	○ ○	2 Screw	7" Pigtail	100	2
	Self-Grounding						
	EC2-LED Push-in LED License light for 1-1/4" Holes. Classic Style, Self grounding.	J-EC2-L	○ ○	Push-in	2-7" Pigtail	400	2
	EC5-LED Series LED license light. Plastic Housing 1-1/4 x 2-1/2	J-EC5	○ ○		6" Lead	100	2
	Chrome						
	Black	J-EC5B	○ ○				
	89 Series Black Plastic Body with Twist Lock Plug LED License Light 4" x 1-9/16" x 2 5/8"	J-89	○ ○	2 Screw	7" Lead	100	2
	995 Series LED 4-Diode License Lamp. Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D (Riveted to black painted steel license plate bracket)	J-995-BRK	○ ○	2 Screw	7" Pigtail	100	4
	Self-Grounding						
	2-Wire	J-995-BRK2	○ ○				
	LED 4-Diode License Lamp. Grey plastic body with clear lens 1-7/8" L, 2-1/4 H, 1-1/2" D	J-995	○ ○	2 Screw	7" Pigtail	200	4
	Self-Grounding						
	2-Wire	J-995-G2	○ ○				
	LFB Series Black Plastic License Plate Bracket with LED Light	J-LFB-LED	○ ○	4 Screw	7" Leads	50	6

License Lamps

Bulb	Qty	Wiring	Mount	Lens	Part #	Description	
194	400	2-7" Pigtail	Push-in	○	J-EC2C	EC Series Model EC-2 with Twist Lock Plug. (Twist Lock with Metal Cap)	
67	400	1 3/4" Pigtail	Push-in	○ ○ ○	J-EC2A Bulk J-EC2B Retail J-EC-75 2-Wire	Brass, Chrome Plated, 1-1/2" dia, 1-7/8" D (requires 1-1/4" diameter hole) 2-Wire Self-Grounding	
194	100	6" Lead	2 Screw	○	J-EC4	Chrome Plated surface mount 1-1/4" x 2-1/2"	
67	200	7" Pigtail	2 Screw	○	J-EC7 Self-Grounding	Luster Zinc Plating/screw mount	
67	200	7" Pigtail	1 Bolt	○	J-EC9 Self-Grounding	Luster Zinc Plating single 1/4" hole - bolt mount	
67	200	1 5/8" Pigtail	2 Screw	○	J-86 Self-Grounding	86 Series 1/2 dome, Stainless with side ears for screw mounting 3-1/4" L, 2-1/4" H	
194	100	6" Lead	2 Screw	○	J-88	88 Series Black Plastic Body Surface Mount with Twist Lock Plug 4" x 1-9/16" x 2 5/8"	
194	200	7" Pigtail	2 Screw	○	J-99 Self-Grounding	99 Series Grey plastic body with clear lens 1-7/8" L, 2-1/4" H, 1-1/2" D	
194	200	7" Pigtail	2 Screw	○	J-99-B Self-Grounding	Black plastic body with clear lens 1-7/8" L, 2-1/4" H, 1-1/2" D Self-Grounding	
194	100	7" Pigtail	2 Screw	○	J-99-BRK	Grey plastic body with clear lens 1-7/8" L, 2-1/4" H, 1-1/2" D (Riveted to black painted steel license plate bracket)	

License Lamps

Description

Part

Lens

Mount

Wiring

Qty

Bulb

95-EC2C

Plastic, Chrome Plated, 1-1/2" dia, 1-7/8" D
(Twist Lock with Plastic Cap) requires 1-1/4" diameter hole
2-Wire

J-95-EC2C

○

Push-in

19" Pigtail

400

194

D-EC6

Stainless Steel Surface Mount License Lamp with
Replaceable Bulb. Includes Mounting Screws.

D-EC6

○

2 Screw

6" Lead

250

194

600 Series

Sealed license light. Black body with clear light.
3-3/4" L, 2-1/8" H, 3" D

J-600

○

2 Screw

5" Pigtail

100

194

94 Series

Chrome Hooded Snap In License Lamp with Twist
Lock Harness.

SJ-94-C

○

1-1/4" hole

26" Pigtail

100

194

99 Series

License Lamp Housing for Late Model Ford.
Cap Only, For Use wih Twist Lock Plug.

L-99-JF

○

Snap In

None

200

N/A

Toyota Lamp Housing

License Lamp Housing for Late Model Toyota
Trucks. Cap Only, For Use wih Twist Lock Plug.

Toyota Lamp
Housing

○

Popcorn

None

200

N/A

762 Series

Sealed license light. Black body with clear light.
1-5/8" L, 1" H, 1-3/8" D

J-762

○

2 Screw

7" Leads

500

194

H-1 Series

3" x 1-1/8" Flush Mount License lamp. Mounts on
2-1/2" centers. Includes gasket.

H-1

○

2 Screw

7" Leads

200

194

LFB Series

Black Plastic License Plate Bracket with Light

J-LFB-L

○



4 Screw

7" Leads

50

3
194

				Reflectors/Conspicuity	
Qty	Pattern	Cut	Color	Part #	Description
10 Rolls	Continuous	7" / 11"	● ●	J-FFT-7Y	FFT Series 150' x 2" Roll 7 year High Intensity Conspicuity Tape
	Kiss Cut	7" / 11"	● ●	J-FFT-7K	150' x 2" Roll 7 year High Intensity Conspicuity Tape
	Continuous	6" / 6"	● ●	J-FFT-6Y	150' x 2" Roll 7 year High Intensity Conspicuity Tape
	Kiss Cut	6" / 6"	● ●	J-FFT-6K	150' x 2" Roll 7 year High Intensity Conspicuity Tape
20 Rolls	Continuous	7" / 11"	● ●	J-FFT-71Y	150' x 1" Roll 7 year High Intensity Conspicuity Tape
10 Rolls	Continuous	Full	●	J-RFR-12Y	RFR Series 150' x 2" Roll 7 year High Intensity Conspicuity Tape
10 Rolls	Continuous	7" / 11"	● ○	J-PGT-7Y	PGT Series 2" x 18" Pre Cut Reflex Strip, 10 year prismatic grade
	Continuous	6" / 6"	● ○	J-PGT-6Y	150' x 2" Roll 10 Year Prismatic Conspicuity Tape
	Kiss Cut	7" / 11"	● ○	J-PGT-7K	150' x 2" Roll 10 Year Prismatic Conspicuity Tape
	Kiss Cut	6" / 6"	● ○	J-PGT-6K	150' x 2" Roll 10 Year Prismatic Conspicuity Tape
100 Strips	18" Individual Strips	7" / 11"	● ○	J-PGT-7S	PGT Series 2" x 18" Pre Cut Reflex Strip. 10 Year Prismatic Grade Tape
10 Rolls	Continuous	Full	●	J-PGY-12Y	PGY Series 150' x 2" Roll 10 Year Prismatic Conspicuity Tape School Bus Tape
10 Rolls	Continuous	Full	○	J-PGW-12Y	PGY Series 150' x 2" Roll 10 Year Prismatic White
10 Rolls	Continuous	7" / 11"	● ●	J-TFT-7Y	TFT Series 150' x 2" Roll Metalized Thin Film Tape
		6" / 6"	● ●	J-TFT-6Y	150' x 2" Roll Metalized Thin Film Tape
68 or 74 Strips	Individual Strips	7" / 11"	● ●	J-TFT-68 J-TFT-74	2" x 18" Pre Cut Reflex Strip. 7 Year Prismatic Grade Tape



Reflectors/Conspicuity

Description

Part

Color

Mount

Pack/Ctn Qty



006 Series

2" x 2.75" 10 Year Prismatic Tape Class A Reflector

J-006-A



Tape

100
or
1000



REF Series

2-1/4" Stud Mount Reflector with Chrome Trim

J-2-REF-SA



Stud Mount

200

J-2-REF-SR



002 Series

3-1/4" x 1-3/16" Reflector with 3M® adhesive tape

J-002-A



Tape

400

J-002-R



003 Series

1-7/8" x 4-3/8" Oval Reflector with 3M® adhesive Tape

J-003-A



Tape/Screw

200

J-003-R



214 Series

2-1/4" Round Reflector with 3M® adhesive tape


J-214-A



Tape

200

J-214-R



40 Series

Red Reflex Trim Ring for 4" Flange Brackets (J-40-F)

J-40-X



3 Screw

50



TRK Series

Warning Triangle Set, Includes Carry Case and 3 Fold-Out Reflective Warning Triangles

U-TRK



N/A

3 per set/
4 sets per
carton



ALS Series

48" Aluminum Strip with Pre Adhered 6" x 6" 10-Year Prismatic Grade Reflex Tape

J-ALS-6Y



Rivet

56



HID Work Lamps					
Qty	Beam	Amps@ 12 V	Lumens	Part #	Description
10	Flood	3.2 A	3,200	PL-500	500 Series 35 Watt Compact Xenon HID Worklamp, Body: 4.25" W x 4" H x 5" D Lens: 3" W x 3" H; 12 Volt Only Model: PL-512
				PL-512	
8	Trapezoidal	3.2 A	3,200	PL-700	700 Series 35 Watt Full Size Xenon HID Worklamp, Body: 5.5" W x 5.5" H x 6" D Lens: 4.5" W x 4.5" H 12 Volt Only Model: PL-712
				PL-712	
8	Trapezoidal	3.7 A	4,000	PL-745	50 Watt Full Size Xenon HID Worklamp, Body: 5.5" W x 5.5" H x 6" D Lens: 4.5" W x 4.5" H
6	Flood/Flood	6.1 A	6,400	PL-732	732 Series 70 Watt (2x35 Watt) Dual Beam Xenon HID Lamp, Body: 6-3/8" x 4-3/8" x 5-3/8" Lens: 5-1/4" x 3-3/8" Glass.
10	Flood	3.7 A	4,000	PL-845	845 Series 50 Watt Compact Heavy Duty Xenon HID Lamp. Body: 4"x 4"x 6" Lens: 3"x 3"
	Spot	3.7 A	4,000	PL-845-S	
8	Flood	3.2 A	3,200	PL-612-F	600 Series 35 Watt Oval Xenon HID Lamp, Lens Dimensions: 4-3/4" x 2-7/8" Oval
		3.7 A	4,000	PL-645-F	
	Spot	3.2 A	3,200	PL-612-S	50 Watt Models: PL-645-F & PL-645-S
		3.7 A	4,000	PL-645-S	



LED Work Lamps

	Description	Part #	Effective Lumens	Amps@ 12 V	Beam	Qty
        	14605 Series Compact Heavy Duty LED Work Lamp. 6 pcs 3-Watt. LED Diodes. Aluminum Housing w/ PC Lens. 4.25" W x 4" H x 3" D. 12-24 volt	J-14605	900	1.0 A	Narrow Flood	20
	14210 Series Oval Minature LED Worklamp. 2x 10-Watt LED Diodes. 3.15 W x 3.82"H x 2.44"D Housing (Includes Bracket Height). IP-68. 12-48 volt system	J-14210-F J-14210-S	1,350	1.25 A	Flood/Spot	20
	14110 Series SOL Series One. 10 watt mini LED Worklamp. 2.2"L x 2.2"W x 2.5"D Housing w/ 1.2"H Bracket. IP-67. 10-32 volt system	J-14110	550	750 mA	Euro/Spot/Flood	20
	14410 Series SOL Series Four. 40 watt 4" round LED Worklamp. 4.85" Diameter x 2.5"D Body with 4-1/8" Lens. IP-67. 10-32 volt system	J-14410-F J-14410-S	2,000	3.0 A	Flood/Spot	10
	14610 Series SOL Series Six. 6x 10-Watt LED Worklamp. 6.25" W x 4.5" H x 4.25" D Body. IP-67. 10-32 volt system	J-14610	2,800	3.85 A	Flood	10
	14575 Series LED Worklamp, Rect. 6x 3-Watt Diodes with On/Off Switch	J-14575-F	1000	1.4 A	Flood	8
	14233 Series No-Fastener LED Worklamp 6x3-Watt Diodes, Flood Beam Includes Mounting Bezel (J-14232-BZB) 12 volt system	J-14233-F	1100	1.4 A	Flood	20
	14603 Series LED Worklamp, Round 6x 3-Watt Diodes, Alum Base, IP67 10-32 volt system	J-14603-F J-14603-S	1050	1.4 A	Flood/Spot	20
	14630/14660 Series Oval LED Worklamp with 10x 3-Watt Diodes (J-14630) OR 6x10-Watt Diodes (J-14660), Deutsch Connector. Available in Spot or Flood Beam. IP-68. 10-30 volts	J-14630-F or S J-14660-F or S	1500 2800	2.2 A 4.2 A	Spot or Flood	8

Halogen Work Lamps					Description	
Qty	Wiring	Mount	Beam Pattern	Part #		
					All Halogen Work Lamps use 55 watt halogen bulbs with H3 bulb mounting, high heat nylon bodies and tempered glass lenses.	
20	6" Cable Leads	Bolt on	Medium Flood	J-14600	14600 Series 55 Watt Halogen Work Lamp with pivoting mounting bracket. Lens: 3" H x 3" W body: 4" H x 4.25" W x 4"D White Carton Packaged	
20	6" Cable Leads	Bolt on	Full Flood	J-14670	14670 Series 55 Watt Halogen Work Lamp with rubber washer mounting. Lens: 4.5 H" x 4.5" W body: 5.5" H x 5.5" W x 4.25" D. White Carton Packaged	
20	6" Cable Leads	Bolt on	Flood	J-14850	14850 Series 55 Watt Halogen Work Lamp with bolt on bracket Lens: 3.25"H x 5.75"W body: 4.25"H x 7.25"W. White Carton Packaged	
20	8.5" Cable Leads	Bolt on	Trapezoidal	J-14570	14570 Series 55 Watt Halogen Work Lamp with bolt on bracket Lens: 3" H x 5.25" W body: 6" W x 3.75 H x 3.5" D. Model: J-14570-S with On/Off Switch	
20	6" Wire Leads	Bolt on	Trapezoidal	J-14300	14300 Series 35 Watt Sealed Beam Work Lamp. PAR 36 Bulb. Stud Mount Bracket. Hot & Ground Leads. Clam Shell Packaged. Model: J-14300-S with On/Off Switch	
20	6" Cable Leads	Screw/Bolt	Flood/Flood	J-14659B	14659B Series 55 Watt Halogen Dual Bulb Work Lamp with pivot/swivel mounting bracket, D handle. Lens: 3.5" H x 5.25" W body: 4.5"H x 6.25"W x 4.5"D. White Carton Packaged	
20	6" Cable Leads	Screw/Bolt	Flood/Flood	J-14659	14659 Series 55 Watt Halogen Dual Bulb Work Lamp with pivot/swivel mounting bracket. Lens: 3.5" H x 5.25" W body: 4.5"H x 6.25"W x 4.5"D. White Carton Packaged	

Boating & Specialty Lights

Description

Part

Qty

Wiring

Mount

Lens

MISCELLANEOUS LIGHTS

422 Series

Compact, surface mount, Lexan lens, Clear-w/switch

J-422-SC



4 Screw

2 - 7" pigtails

50

Compact, surface mount, Lexan lens, Amber

J-422-A



4 Screw

3 - 7" pigtails

100

Compact, surface mount, Lexan lens, Red

J-422-R



4 Screw

100

Compact (Non DOT) Stop Tail Turn Lamp

J-423-R



4 Screw

50

Courtesy Lights & Stepwell Lights for School, Transit & RV's

855 Series

Flush Mount Stepwell light, 4-1/4" chrome plated brass base, Polycarbonate lens, **without lens shield**

J-855-C



3 Screw

2 - 7" pigtails

50

Flush Mount Stepwell light, 4-1/4" chrome plated brass base, Polycarbonate lens - 1/2 chrome plated lens shield

J-855-1-C



3 Screw

50

856 Series

Stepwell Light, chrome plated brass body with 1/2 lens shield. 3-1/2" X 3" oval shape

J-856-C



2 Bolt

7" pigtail

50

Stepwell Light, chrome plated brass body **without lens shield**. 3-1/2" X 3" oval shape

J-856-1-C



2 Bolt

50

541 Series

Armored side marker light for buses & trailers, 5-1/8" L, 2" H, 2-1/8" D, painted white, surface mount

J-541



4 Screw

2 - 6" pigtails

100



Boating & Specialty Lights

Description

LEDS	Qty	Wiring	Mount	Diode Lens	Part #	Description	
24	50	9" Pigtail	2 Stud	 	J-EA3	EA Series Euro / Australia LED Combination Lamp	
				 	J-EA2		
1	200	2 - 7" Pigtails	3 Screw	 	J-1005-C	1005 Series Baitwell light, requires 1-1/2"	
1	200				J-1901-A	1901 Series Flush Mount Deck light with stainless steel bezel, 3" diameter, flush mount	
					J-1901-C		
6	100	6" Lead	2 Screw	   	J-BLB-G J-BLB-R	Bow Light Series LED Bow Side Lights. Port (Red) and starboard (Green) lights feature gasket sealed design and simple 2 screw mounting. USCG 2 Nautical Mile Visibility Rated. For use on vessels under 20 Meters in length with Black plastic housing.	
6	100	6" Lead	2 Screw	   	J-BLC-G J-BLC-R		
6	100	6" Lead	2 Screw	   	J-BLW-G J-BLW-R	LED Bow Side Lights. Port (Red) and starboard (Green) lights with White plastic housing.	

Mounting Grommets and Brackets

Description

Part

Qty

Grommets



54 Series

Black Sealing Grommet for all 3/4" Round Lights

J-54-GM

200

J-54-GMS



10 Series

Black rubber grommet for all 2" Round Lights

J-10-GM

200

Model J-11-GM required to meet PC rating for some light models

J-11-GM

200



20 Series

Black rubber grommet for all 2-1/2" Round Lights recess mounting

J-20-GM

Black rubber grommet for all 2-1/2" Round Lights flush mounting

J-20-DGM

200

Black Hybrid Grommet for 2-1/2" Round Lights

J-21-GM



40 Series

Black rubber grommet or J-40 and J-45 Series lamps for flush mounting fits all 4" Round Lights

J-40-GM

100



30 Series

Black rubber grommet for J-30 and J-35 Series lamps for flush mounting fits all 3" - 5" Lights

J-30-GM

100



60 Series

Black rubber grommet for J-60, J-64, J-65, J-66 and J-67 Series lamps fits all 6" Oval Lights

J-60-GM

100



505 Series

Black rubber grommet for J-515, J-510 and J-511 Series lamps fits all 2-1/2" x 1" Oval Lights

J-505-GM

200



573 Series

Black rubber grommet for J-573 and J-5735 Series lamps 2-1/2" x 1-1/4"

J-573-GMN

100




Black rubber grommet for J-573 and J-5735 Series lamps 2-1/2" x 1-1/4"

J-573-GM

250

Mounting Grommets and Brackets

Qty	Part #	Description
Trim Rings and Brackets		
50	J-54-BZC	54 Series Chrome Plastic Trim Ring for 3/4" Lights (Fits 51/53/54/55/56 Series)
200	J-505-BZB	505 Series Black Plastic Trim Ring for J-515 & J-510 Series Lights
200	J-505-BZC	Chrome Plastic Trim Ring for J-515 & J-510 Series Lights
100	J-65-BZB	65 Series Black Plastic Trim Ring for J-656-F, J-66-F, J-67-F and J-64-F Series Lights
100	J-65-BZC	Chrome Plastic Trim Ring for J-656-F, J-66-F, J-67-F and J-64-F Series Lights
50	J-40-FC	40 Series Chrome Plastic Flange for all 4" round lights
50	J-40-FB	Black Plastic Flange for for all 4" round lights
50	J-40-X	Red Reflex Ring mounts on-top of the J-40-F
100	J-10-BRK	10 Series Black Powder Coated Bracket for all 2" Oval Grommet Mount Lights.
100	J-20-BRK	20 Series Black Powder Coated Bracket for all 2-1/2" Oval Grommet Mount Lights.
50	J-40-BRK	40 Series Black Powder Coated Bracket for all 4" Oval Grommet Mount Lights.
50	J-60-BRK	60 Series Black Powder Coated Bracket for all 6" Oval Grommet Mount Lights.
50	J-LFB-N	LFB Series Black Plastic License Plate Bracket
50	J-LFB-L	Black Plastic License Plate Bracket with Light
100	J-2024-9B	2024 Series Zinc Coated Steel License Plate Bracket
50	T-65-BRK	65 Series Oval Black Powder Coated Bracket for all 6" oval grommet mounted lights
200	J-2023-BRK	2023 Series Grey Plastic License Plate Bracket (flexible)
100	J-99-BBO	99 Series Black Steel License Bracket



Mounting Grommets and Brackets

	Description	Part #	Finish	Mount	Wiring	Qty
	576 Series 2 wire female plug for 576 series lights.	J-576-P2	●	N/A	9" Pigtail	400
	154 Series Stainless steel armored guard for 576 series parts.	J-154-AG	●	2 Screw	N/A	100
	576 Series Plastic Bracket only for 576 series lamps. Use with J-576-P2	J-576-BRK	●	2 Screw	N/A	400
	576 Series Fender Bracket only for 576 series lamps.	J-576-FM	●	4 Screw	1 3" Pigtail	200
	573 Series Guarded Mounting bracket for J-573 lamps	J-573-AGC	●	2 Screw	N/A	200
	Mounting bracket for J-573 lights (used with J-10-WH harness/plug)	J-573-BRK-B	●	2 Screw	N/A	400
		J-573-BRK-C	●	2 Screw	N/A	400
	Self-Grounding mounting bracket for J-573 lights (used with J-573-WH harness/plug)	J-573-BRKG-B	●	2 Screw	N/A	400
		J-573-BRKG-C	●	2 Screw	N/A	400
	576 Series Plastic mounting bracket for J-576 lights, with 7" hot wire Self-Grounding	J-576-BRK-B1	●	2 Screw	7" Pigtail	400
		J-576-BRK-C1	●	2 Screw	7" Pigtail	400
		J-576-BRK-B2	●	2 Screw	7" Pigtail	400
	Plastic mounting bracket for J-576 lights, with 7" hot wire & ground wire	J-576-BRK-C2	●	2 Screw	7" Pigtail	400

				Plugs, Wiring and Electrical
Qty	Gauge	Length	Part #	Description
1000		N/A	J-573-WH	573 Series #8 Male hot wire harness 12" length.
200		N/A	J-576-P2	576 Series 9: wire harness w/ 2 female contacts for J-576 series lights
800		6" 30"	J-10-WH J-10-WH30	PL-2 Series 6", 2-wire harness with 2 contact male plug for (right angle plug)
400		9"	J-60-WH (90° Angle) J-60-WHS (Straight)	60 Series 9", 3-wire harness with 3 contact male plug
150		18	J-404-WH	400 Series 4-plug harness system for front of truck body
48		18	J-407-WH	7-plug harness system for rear of truck body
400		18	J-60-ADP J-65-WH9	60 AMP Series 3-Way AMP Superseal to Female PL-3 Adapter 3-Way AMP Pigtail to Female PL-3 Adapter
6000		N/A	J-801-WC J-801-WCW	801 Series Blue with one closed barrel Wire connectors for 14-18 gauge wire Blue or White White with two open barrels
100		N/A	J-5007-WH	5007 Series 7-Way Round - Flat Pin RV Style Plug only
50		N/A	J-JB	7-Way Junction Box with hardware 6-3/4" x 3-1/2" Model J-JBC with Colored Terminals
100 50 50	12" 48" 60"	J-4112-WH J-4148-WH J-4160-WH		4100 Series 4-Way flat trailer wire harness mal/female Plug
200	12"	J-4026-WH		2-Way Molded Male/Female .180" Plug
100	12"	J-4014-WH		4-Way Flat 12" Harness (White, Brown, Yellow, Green)
24	35'	J-5524-42		4-Way Flat 35' Wishbone Harness with One 42" Ground Wire
24	35'	J-6524-WH		4-Way Flat 35' Wishbone Harness with 2 Full Length Ground Wires



Plugs, Wiring and Electrical

Description

Part

Length Qty

5000 Series 7-Way Round Cords



7-Way cords with round sealed RV style connector. Features sealed molded connector with double flat pin self-cleaning contacts. Heavy duty black multiconductor cable rated to -10° C Wire gages: 2-10 / 1-12 / 4-14.

Black and white = 10 gauge

Blue = 12 gauge

Brown, Red, Green, Yellow = 14 gauge

J-5067-WH	6'	24
J-5087-WH	8'	12
J-5097-WH	9'	24
J-5107-WH	10'	12
J-5117-WH	11'	12
J-5157-WH	15'	10
J-5257-WH	24'	10

7-Way Arctic Series



7-Way cords with Arctic Blue -40° Rating. Features sealed molded RV style connector with double flat pin self-cleaning contacts. Heavy duty arctic blue multi-conductor cable specially formulated for -40° to 105° C temperature extremes. Wire gauges: 2-10 / 1-12 / 4-14.

J-7067-WH	6'	
J-7087-WH	8'	24
J-7127-WH	12'	

4-Way 4000 Series



12" leads 4-way flat trailer side connector


48" leads 4-way flat wishbone trailer side connector

25' trailer harness with 4-way flat connector & 4' vehicle harness

20' trailer harness with 4-way flat connector & 4' vehicle harness

J-4024-1-WH	12"	50
J-4024-24-WH	48"	50
J-4024-WH	25' +4	48
J-4224-WH	20' +4	48

4-Way 5000 Series



4-Way Flat Wire Harnesses. Each model features a standard un-shrouded 4-Way Flat connector, GTP wire, .180" terminal pins and a brass ground ring terminal. 5-Wire wishbone configuration includes includes brown wires, one green, one yellow and a 30" white ground wire.

J-5124-WH	15'	
J-5224-WH	20'	
J-5024-WH	25'	24
J-5324-WH	30'	
J-5524-WH	35'	
J-5424-WH	40'	

5-Way 5000 Series



5-Way Flat Wishbone Wire Harnesses with Single Ground Wire. Each model features a standard un-shrouded 5-Way Flat connector, GTP wire, .180" terminal pins and a brass ground ring terminal. 6-Wire wishbone configuration includes two brown wires, one green, one yellow, one blue, brake wir and one 30" white ground wire.

J-5025-WH	25'	24
J-5325-WH	30'	24
J-5525-WH	35'	24
J-54025-WH	40'	12

5-Way 6000 Series



5-Way Flat Wishbone Wire Harnesses with Single Ground Wire. Each model features a standard un-shrouded 5-Way Flat connector, GTP wire, .180" terminal pins and a brass ground ring terminal. 6-Wire wishbone configuration includes two brown wires, one green, one yellow, one blue, brake wir and one 30" white ground wire.

J-6025-WH	25'	12
J-6325-WH	30'	12
J-6525-WH	35'	12
J-64525-WH	45'	12

Breakaway Systems

Qty	Charger	Switch	Box Wiring	Mount	Part #	Description	
8	●	●	Not Wired	Bolt or Weld	J-BBK	BBK Series Trailer Breakaway System with battery, black powder coated mounting plate, removable plastic battery box, and breakaway switch.	
8	●	●	15" Leads	Bolt or Weld	J-BBKL	BBKL Series Top Load Box with LED Test Button wired with Switch, Battery & Built-In Charger Includes Metal Bracket for Bolt or Weld applications	
8	●	●	Not Wired	Tension Bolt	J-TMK	TMK Series Breakaway System (Jack Mount) with switch + Battery	
8	●	●	15" (+) & (-)	4 screw	J-FJK	FJK Series Flange Mount Breakaway System. Includes Plastic Battery Box, J-ELEC Breakaway Switch, and 12volt/5 Ah Battery.	
8	●	●	15" Leads	4 screw	J-FJKL	FJL Series Flange Mount Breakaway System. Includes Plastic Battery Box, J-ELEC Breakaway Switch, 12volt/5 Ah Battery and LED Test Light.	

Breakaway Systems

Description

Part

Qty	Switch	Charger	Box Wiring	Mount
10	●	●	15" (+) & (-)	Bolt on
8	●	●	15" Leads	Bolt on
8	●	●	15" Leads	Bolt on
400		N/A	N/A	N/A
100		N/A	17" Leads	N/A
100		N/A	17" Leads	N/A
50		N/A	48" Leads	Screw

CRTK Series

Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and 12volt/5 Ah Battery.

J-CRTK



BRTK Series

Full Set Up Clam Shell Break Away System. Includes Battery Box, J-ELEC Breakaway Switch, and Battery.

J-BRTK



BREK Series

Full Set Up Clam Shell Break Away System with LED Test Button. Includes Battery Box, J-ELEC Breakaway Switch, and Battery.

J-BREK



TAP Series

Self Tapping Bolt for Clam Shell/ Bolt On Kits

J-TAP

BWH Series


Pre Terminated Hot & Ground Wire for Break Away Systems

BCH Series

Battery Charger for 12V breakaway system Charges and maintains all 12 volt Batteries. Battery Lead and Termination for easy connection.

J-BWH

J-BCH



ELEC Series

Breakaway Switch with 48" lanyard.

J-ELEC



Trailer Accessories and Hardware

Qty	Part #	Description
		Doorstop Series
100	J-D1	2" Straight Aluminum Doorstop w/ rubber cap
100	J-D2	3" Short Bent Aluminum Doorstop w/ rubber cap
100	J-D3	4" Long Bent Aluminum Doorstop w/ rubber cap
		Rubber Bumper Series
200	J-B1	2-1/2" Round Rubber Bumper
200	J-B15	1-1/2" Round Rubber Bumper w/ washer
500	J-B2	1" Round Rubber Bumper
		Tube Cap Series
400	J-P1	2-1/2" Round Plastic Tube Cap
400	J-P2	1-1/2" Square Plastic Tube Cap
200	J-P3	3-7/8" Round Plastic Coupler Cap
		Door Catch Series
100	J-19102-B	Black
	J-19102-G	Gray
		9" 3 Piece Black or Grey Plastic Door Catch
100	J-19062-B	Black
	J-19062-G	Gray
		6" 3 Piece Black or Grey Plastic Door Catch
		D-Ring Series
24	J-6000-TDZ	6,000 lb D-Ring floor tie down - Zinc Finish with Round or Square Holes. (4-1/2" x 4-7/8")
24	J-6000-TDR	6,000 lb D-Ring floor tie down - Raw Finish (4-1/2" x 4-7/8")



Trailer Accessories and Hardware

Description

Part

Qty

Grab Handle Series



Aluminum Grab Handle - Regular holes Center to Center 11"

J-19314

100

Door Pull Series



9 1/4" Black Plastic Door Handle

J-19101-B

100

9 1/4" Grey Plastic Door Handle

J-19101-G

100

9 1/4" White Plastic Door Handle

J-19101-W

100

Tipperlatch Series



Spring loaded non pinching steel latch for tilt bed
Zinc Plated

J-TPZ

20

Spring loaded non pinching steel latch for tilt bed
Raw Finish

J-TPR

20

11241 Series



1/2" Diameter Pull Pin with Clip

J-11241

50

11210 Series



1/2" Hitch Pin with Clip

J-11210

50

11220 Series



5/8" Hitch Pin ONLY

J-11220

50

11230 Series



5/8" Hitch Pin Clip ONLY

J-11230

200

11252 Series




3/4" Jack Pin with 12" Steel Lanyard and Safety Clip

J-11252

50

QL Series



3/8" Quick Link

J-QL

200

11775 Series



Spring Latch with 1/2" Pin Diameter Pin Galvanized Finish and SS Spring

J-11775

50

13001 Series

4" Steel C-Clamp Copper Spindle and **Corrosion Resistant** Coating

J-13001

36

Trailer Hitch Balls

Cargo Control (Hitch Balls, Locks, etc.)

Qty	Finish	GTW LBS	Shank LTH.	Shank Dia	Ball Dia	Part #	Qty	Finish	GTW LBS	Shank LTH.	Shank Dia	Ball Dia	Part #
25	CHR	5000	2-1/8"	1"	2"	J-12100	12	heat treated	30000	2-3/4"	1-1/4"	2-5/16"	J-12577
25	CHR	5000	2-1/2"	1"	2"	J-12101	12	heat treated	30000	2-3/4" 1" Riser	1-1/4"	2-5/16"	J-12578
25	CHR	5000	3"	1"	2"	J-12103	12	heat treated	30000	2-3/4" 2" Riser	1-1/4"	2-5/16"	J-12579
25	CHR	6000	3-3/8"	1"	2"	J-12104	6	heat treated	30000	Goose	Neck	2-5/16"	J-12580
12	CHR	7500	2-1/4"	1-1/4"	2"	J-12105	6	OIL	20000	3-1/2"	2"	2-5/16"	J-12581
16	CHR	8000	2-1/2"	1-1/4"	2"	J-12106	16	OIL	7500	2-3/4"	1"	2-5/16"	J-12586
25	CHR	7500	2-1/8"	1"	2"	J-12107	12	OIL	10000	2-3/4"	1-1/4"	2-5/16"	J-12587
25	OIL	5000	2-1/2"	1"	2"	J-12189	100	CHR	Sway Control		5/8"	1-1/4"	J-17523
25	CHR	3500	2-1/2"	3/4"	2"	J-12301	25	CHR	5000	2-1/8"	1"	1-7/8"	J-17801
25	CHR	3500	2-1/8"	3/4"	2"	J-12340	25	CHR	5000	2-1/2"	1"	1-7/8"	J-17813
25	OIL	3500	2-1/2"	3/4"	2"	J-12380	25	CHR	3500	2-1/8"	3/4"	1-7/8"	J-17834
12	CHR	7500	2-3/4"	1"	2-5/16"	J-12516	25	CHR	3500	2-1/2"	3/4"	1-7/8"	J-17838
16	CHR	7500	2-1/8"	1-1/4"	2-5/16"	J-12517	25	OIL	5000	2-1/2"	1"	1-7/8"	J-17881
12	CHR	10000	2-3/4" 1" Riser	1-1/4"	2-5/16"	J-12518	25	OIL	5000	2-1/2"	3/4"	1-7/8"	J-17884
12	CHR	10000	2-3/4" 2" Riser	1-1/4"	2-5/16"	J-12519							
16	CHR	10000	2-3/4"	1-1/4"	2-5/16"	J-12527							



Part #	Description	Spare Tire Locks
100	19200 Series Weatherlock with brass tumbler in plastic case and 2 keys	
50	J-19202 Weatherlock with brass tumbler in plastic case, 48" plastic coated cable and 2 keys	

Order: 800.537.3136 or sales@jammyinc.com

Trailer Door Parts

Description

Part

Count

Weight

TDRH Series

1" x 10" Weld On Ramp Door Hinge with Grease Fitting, RAW Finish

TDRH01

25

51



TBH Series

4-1/2" Weld On Ramp Door Butterfly Hinge with Grease Fitting, RAW Finish

TBH02

40

48



TDL Series

Cargo Trailer Door Locking Latch with 4 Matching Keys

TDL01

20

51



TBL Series - All Bar Locks Include Hasp

36" Bar Lock, Zinc Finish Bulk Pack

TBL36B

250

1760

36" Bar Lock, Zinc Finish. Retail Pack

TBL36R

5

45

45" Bar Lock, Zinc Finish. Retail Pack

TBL45R

5

44

55" Bar Lock, Zinc Finish. Retail Pack

TBL55R

5

30

45" Bar Lock Zinc Finish. Bulk Pack

TBL45B

200

1750

Hasp for Bar Locks

THSP

50

50

T16 Series

Cargo Trailer Door Strap Hinge, 16" length, 1/2" Offset, Zinc Plated

T16

25

52

Cargo Trailer Door Strap Hinge, 16" length, NO Offset, Zinc Plated (Not Pictured)

T16S

25

54



Trailer Assembly Components				
Weight	Count	Part #	Description	
50	100	T2	T Series Weld on Spring Hanger, Raw Steel 1.88" inside legs, ½ " dia. Bolt Holes .225" thickness, 1.50" wide, 2.38" high,	
1035	2000	T2BP2000		
61	155	T7	Spring Shackle Hot Dipped Galvanized, 2.63" hole centers, .250" thickness ½ " dia. U-bolt holes, 1.49" width , 4.14" long	
1245	3100	T7BP3100		
60	140	T9	Axle Tie Plate - 3 hole - Hot Dipped Galvanized center hole .625", 2 outside holes accept 1/2" dia. U-bolts. Outside holes center to center = 3-1/16" .250" thickness, 1.49" width, 4.60" long	
56	50	T11	Axle Tie Plate - 5 hole - Hot Dipped Galvanized center hole .66" .250" thick, 4 outside holes accept 1/2" dia. U-bolts. 3.9" width, 4.19" long	
42	50	T10	Same except center hole .69"and 3.19" width, 3.80" long	
59	125	T19	Axle Tie Plate - 3 hole - Hot Dipped Galvanized center hole .625" .250" thick, 2 outside holes accept 1/2" dia. U-bolts. Outside holes center to center = 3-9/16" 1.49" width, 5.06" long.	
40	125	T203	Swivel Bracket - Hot DippedGalvanized - 11 Gauge 3 Top Flange holes accept 3/8" dia. bolt. Swivel hole accepts 1/2" dia. Bolt	
662	2000	T203BP2000		
28	125	T203AS	Slotted Swivel Bracket - Aluminum .250 thick, 2 ea. 3/8" top flange holes and 2 ea. Slots - 1" long X 3/8" wide. Part is 3.5" width x 2.28" high	
34	125	T205AS	Same - except one 9/16" slot width. To assemble Bolster Bracket.	
29	125	T203A	Swivel Bracket - Aluminum .250 thickness, 3 Top Flange holes accept 3/8" dia. bolt. Swivel hole accepts 1/2" dia. bolt. 3.5" width x 2" high	
52	100	T303A	This Part # is 4.5" wide x 3.17" high	

Trailer Assembly Components

	Description	Part #	Count	Weight
	Bolster Brackets			
	Bolster Bracket - 8" Hot Dipped Galvanized - 11 Gauge 2.50" width, 2 each 2.75" slots & swivel attachment hole for 1/2" dia. bolts	T38	40	37
		T38BP1000	1000	950
	Bolster Bracket - 10" Hot Dipped Galvanized - 11 Gauge 2.50" width, 2 each 3.75" slots & swivel attachment hole for 1/2" dia. bolts	T310	30	35
		T310BP700	700	820
	Bolster Bracket - 12" Hot Dipped Galvanized - 11 Gauge 2.50" width, 2 each 4.75" slots & swivel attachment hole for 1/2" dia. bolts	T312	25	34
		T312BP500	500	730
	492 Series			
	Double U-Bolt Bolster Bracket - Hot Dip Galvanized, 7 gauge Swivel Hole & 4 each 3" long Slots accept 1/2" bolts. 9-3/4" long x 4" width	T492	15	40
  	Same - except Aluminum - NEW	T412A	15	14
	683 Series			
	Adjustable Keel Roller Bracket Hot Dipped Galvanized 11-1/2" length, 1" offset bend Mounting holes for 3/8" dia. bolts	T683	40	35
	652 Series			
	Y-Guide Bracket - 7 Gauge Hot Dipped Galvanized Secures 2" square tube vertically Mounting holes for 1/2" dia. bolts	T652G	28	63
	Y-Guide Bracket - Aluminum Secures 2" square tube vertically Mounting holes for 1/2" dia. bolts	T652A	40	56
	Y-Guide Bracket or Guide On Post. 7 Gauge - Hot Dipped Galvanized. Secures 1-1/2" square tubing vertically or horizontally. Mounting holes for 1/2" dia. bolts. 2 hexagon bolt holes for adjustment.	T672	20	40

Trailer Assembly Components			
Weight	Count	Part #	Description
Vertical Bunk Brackets			
Vertical Bunk Brackets - Hot Dipped Galvanized. 250" thick mounting holes for 1/2" dia. bolts			
53	20	T564	5" X 6"
51	15	T584	5" X 8"
62	15	T5104	5" X 10"
1125	225	T5104BP225	5" X 10" - Bulk Pack
73	15	T5124	5" X 12"
			
Vertical Bunk Brackets - Aluminum			
Vertical Bunk Brackets - Aluminum mounting holes for 1/2" dia. bolts			
45	40	T563A	5" x 6" .30" thick
54	40	T583A	5" x 8" .30" thick
1801	1000	T583A40	5" x 8" .40" thick - Bulk Pack
37	20	T5103A	5" x 10" .30" thick
34	15	T5103AHD	5" x 10" .40" thick
			
Vertical Bunk Bracket. .250" thick - Hot Dipped Galvanized mounting holes for 1/2" dia. bolts			
46	15	T585R	5" x 7" - 85 degree bend
54	25	T585S	5" x 5" - 85 degree bend
46	15	T595R	5" x 7" - 95 degree bend
57	25	T595S	5" x 5" - 95 degree bend
			
39	125	T3	Spring Pad - Hot Dipped Galvanized For mounting 1.5" axle tube. 2.52" length, 1.73" width
			
380	1000	T4BP1000	Spring Seat - Hot Dipped Galvanized For mounting 2" axle tube. 3" length, 1.73" width
			
753 Series			
37	40	T753R	Dimpled Step Pad - 11 Gauge Raw Steel. 7" x 3.5" x 1.5". Two 7/16" x 1-7/16" slots. Right Side
37	40	T753L	Left Side
			

Trailer Components

	Description	Part #	Count	Weight
	Pontoon Brackets			
	Pontoon Bracket - Hot Dipped Galvanized, 11 Gauge, 7-1/2" long slot accepts 1/2" dia bolt. Overall length 16"	TPB1H	30	58
		TPB1HBP600	600	1282
				
	Pontoon Bracket - Hot Dipped Galvanized, 11 Gauge, 7-1/2" long slot accepts 1/2" dia bolt. Overall length 9"	TPB2H	40	57
	PFS Series			
	Weld On Pontoon Frame Supports, RAW Finish, Left and Right Sides. Dimensions: 6" x 2" with 1-7/8" Fin. Hole Pattern: TWO 1/2" x 1" Slots Spaced 3-7/16" Apart.	TPFSL	50	34
		TPFSR	50	34
	Pontoon Guide Bracket Series			
	Pontoon Guide Hot Dipped Galvanized 1-1/2" square, 14 gauge, 18" high 2 each 9/16" dia. mounting holes 3" between holes	T0018	20	48
	Guide-On Bracket Series			
	Guide-On Post Hot Dipped Galvanized, 14 gauge 1-1/2" square, 48" high x 24" long leg from bend (Sold by each - not pairs)	T4824	200	1890
	CUSTOM GUIDE-ON POSTS - QUOTED UPON REQUEST			
	SJ Series			
	Stabilizer Jack - Painted Black (Safety Pin not included) 800 lb. Capacity	TSJ	6	22
	Safety Pin -1/2" Diameter -with Clip	J-11210	50	16
				

Pinchless® Seat Hinges

Color Guide	Part #	Description
Swan White (SW)	J-1551-Y J-1551-SW J-1551-BL J-1551-S J-1551-CT J-1551-MS J-1551-P	1551 Series Large Hinges 8" x 12" Open Dimensions with Standard Recline and Closed Corner. Stocked in All Colors
Yolk/Cream White (Y)	J-1550-BL J-1550-S	1550 Series Small Hinges 8" x 9.75" Open Dimensions with Standard Recline and Closed Corner. Stocked in Black and Silver
Flat Black (BL)	J-1551-P	1551 Series Large Classic Hinges 8" x 12" Open Dimensions with Standard Recline and Open Corner. Stocked only in Pewter
Silver (S)	J-1550-P	1550 Series Small Classic Hinges 8" x 9.75" Open Dimensions with Standard Recline and Open Corner. Stocked only in Pewter
Coffee Tan (CT)	J-1515-BL	1515 Series 15° Reclined Large Hinges 8" x 12" Open Dimensions with Additional 15° Recline Angle and Closed Corner. Stocked only in Black
Moonstone (MS)	TJ-1556-BL	1556 Series Hybrid Jump Seat Hinges 8" x 12" Open Dimensions with High Pivot Point and Flush Back Design. Stocked only in black
Pewter (P)	TW-1555-S	1555 Series High Back Jump Seat Hinges 8" x 14" Open Dimensions with Low Pivot Point and Flush Back Design. Stocked only in Silver

All hinges produced with Powder Coated 5052 Aluminum and Stainless Steel Rivets. Pinchless® design constructed to meet ABYC H31 Impact Testing Standard. **All Hinges Packed 20 Pair Per Carton.**

Order: 800.537.3136 or sales@jammyinc.com

Index

J-12100	43
J-12101	43
J-12103	43
J-12104	43
J-12105	43
J-12106	43
J-12107	43
J-12150	43
J-12189	43
J-12301	43
J-12340	43
J-12380	43
J-12516	43
J-12517	43
J-12518	43
J-12519	43
J-12527	43
J-12576	43
J-12577	43
J-12578	43
J-12579	43
J-12580	43
J-12581	43
J-12586	43
J-12587	43
J-17801	43
J-17813	43
J-17834	43
J-17838	43
J-17881	43
J-17884	43
J-18200	43
D-21	15
D-22	15
D-23	15
D-24	15
D-25	15
D-272-L	18
D-272-R	18
D-51	NOT IN CATALOG
D-61	16
D-63	16
D-91	15
D-91-15-C	23
D-92	15
D-95	16
D-96	16
D-98	15
D-EC6	26
H-1	26
J-002-A	28

J-002-R	28
J-003-A	28
J-003-R	28
J-006-A	28
J-006-R	28
J-1005-C	33
J-1024-15-A	6
J-1024-15-R	6
J-1024-A	17
J-1024-AA	17
J-1024-APC	17
J-1024EM-A	17
J-1024EM-R	17
J-1024-R2	4
J-1025-A2	4
J-1025-AA	4
J-1025-RR	4
J-1055-A	3
J-1055-R	3
J-105-A	20
J-105-R	20
J-10-A	20
J-10-AK	20
J-10-BRK	35
J-10-C	NOT IN CATALOG
J-10-FFA	20
J-10-FFR	20
J-10-GM	34
J-10-R	20
J-10-RK	20
J-10-WH	37
J-11210	42/48
J-11220	42
J-11230	42
J-11241	42
J-11252	42
J-11775	42
J-11-AK	NOT IN CATALOG
J-11-GM	34
J-11-RK	NOT IN CATALOG
J-122-A	19
J-122-R	19
J-126-15-A	6
J-126-15-R	6
J-126-AW	19
J-126-RW	19
J-13001	42
J-14110	30
J-14110-F	30
J-14210-F	30
J-14210-S	30

J-14233-F	30
J-14300	31
J-14300-S	31
J-14410-F	30
J-14410-S	30
J-14570	31
J-14570S	31
J-14575-F	30
J-14600	31
J-14603-F	30
J-14603-S	30
J-14605	30
J-14610	30
J-14630-F	30
J-14630-S	30
J-14655	Discontinued
J-14659	31
J-14659B	31
J-14660-F	30
J-14660-S	30
J-14670	31
J-14850	31
J-14935	Discontinued
J-151-A	2
J-151-R	2
J-154-AG	36
J-1550-BL	49
J-1550-CT	49
J-1550-MS	49
J-1550-P	49
J-1550-S	49
J-1550-SW	49
J-1550-Y	49
J-1551-BL	49
J-1551-CT	49
J-1551-MS	49
J-1551-P	49
J-1551-S	49
J-1551-SW	49
J-1551-Y	49
J-1553-LT	NOT IN CATALOG
J-1553-RT	NOT IN CATALOG
J-1554-RT/LT	NOT IN CATALOG
J-15-A	3
J-15-AC	3
J-15-AK	3
J-15-AKC	33
J-15-FFA	3
J-15-FFR	3
J-15-FFRH	3
J-15-R	3



J-15-RC	3
J-15-RK	3
J-15-RKC	3
J-15-SA	3
J-15-SR	3
J-16-A	2
J-16-AK	2
J-16-R	2
J-16-RK	2
J-1901-A	33
J-1901-C	33
J-19062-B	41
J-19062-G	41
J-19101-B	42
J-19101-G	42
J-19101-W	42
J-19102-B	41
J-19102-G	41
J-19200	43
J-19202	43
J-19314	42
J-2014	22
J-2014-15-R	23
J-2014-L	22
J-2023	22
J-2023-BRK	35
J-2023-L	22
J-2024	22
J-2024-15-R	23
J-20245	10
J-20245-15-R	23
J-20245-KC	13
J-20245-L	10
J-2024-9B	35
J-2024-KCD	12
J-2024-L	22
J-2034	22
J-2034-15-SR	23
J-2034-KCD	Discontinued
J-2034-L	22
J-2044	22
J-20445	10
J-20445-L	10
J-20445-NCD	12
J-2044-KCD	12
J-2044-L	22
J-205-15-A	6
J-205-15-R	6
J-205-A	20
J-205-R	20
J-2065-A	3

J-2065-R	3
J-206-A	20
J-206-R	20
J-2077	10
J-2077L	10
J-20-A	20
J-20-AK	20
J-20-BRK	35
J-20-DGM	34
J-20-FFA	20
J-20-FFR	20
J-20-GM	34
J-20-R	20
J-20-RK	20
J-214-A	28
J-214-R	28
J-21-A	3
J-21-GM	34
J-21-R	3
J-222-A	19
J-222-R	19
J-223-A	19
J-223-R	19
J-224-A	4
J-224-R	4
J-225-15-A	6
J-225-15-R	6
J-225-A	4
J-225-R	4
J-226-15-A	6
J-226-15-R	6
J-226-A	19
J-226-R	19
J-227A	19
J-227R	19
J-241-A	9
J-241-C	9/16
J-241-R	9
J-24245	10
J-24245-L	10
J-24245-NC	13
J-242-AR	9
J-242-M	9
J-243-ARC	9
J-25-A	3
J-25-AC	3
J-25-AK	3
J-25-AKC	3
J-25-FFA	3
J-25-FFR	3
J-25-R	3

J-25-RC	3
J-25-RK	3
J-25-RKC	3
J-26-A	3
J-26-AGK	3
J-26-AK	3
J-26-R	3
J-26-RGK	3
J-26-RK	3
J-275-A	8
J-275-R	8
J-2-REF-SA	28
J-2-REF-SR	28
J-301-AW	17
J-301-RW	17
J-30-A	21
J-30-AK	21
J-30-C	21
J-30-CK	21
J-30-GM	34
J-30-R	21
J-30-RK	21
J-314-R	Discontinued
J-315-A	5
J-315-R	5
J-322-L	NOT IN CATALOG
J-322-R	NOT IN CATALOG
J-323-15-A	6
J-323-15-C	6
J-323-15-R	6
J-323-A	19
J-323-C	19
J-323-R	19
J-325-A	4/19
J-325-C	4/19
J-325-R	4/19
J-326-15-A	6
J-326-15-R	6
J-326-BA	18
J-326-BR	18
J-326-WA	18
J-326-WR	18
J-35-A	8
J-35-A12/24	8
J-35-AGK	8
J-35-AK	8
J-35-C	8
J-35-CGK	8
J-35-CK	8
J-35-R	8
J-35-R12/24	8

Index

J-35-RGK	8
J-35-RK	8
J-37-A	8
J-37-R	8
J-4024-1-WH	37
J-4024-24-WH	37
J-4024-WH	37
J-4026-WH	37
J-404-WH	37
J-407-WH	37
J-40-A	21
J-40-AK	21
J-40-BRK	35
J-40-C	21
J-40-CK	21
J-40-FB	35
J-40-FC	35
J-40-GM	34
J-40-R	21
J-40-RK	21
J-40-X	28/35
J-4112-WH	37
J-4148-WH	37
J-4160-WH	37
J-4224-WH	37
J-422-A	32
J-422-C	32
J-422-R	32
J-422-SC	32
J-423-R	32
J-425-AW	4
J-425-RW	4
J-426-BA	19
J-426-BR	19
J-426-WA	19
J-426-WR	19
J-42-R	21
J-42-RK	21
J-44010	NOT IN CATALOG
J-44030	NOT IN CATALOG
J-4412-A	8
J-4412-A12/24	8
J-4412-AK	8
J-4412-C	8
J-4412-C12/26	8
J-4412-CK	8
J-4412-F12/27	8
J-4412-R	8
J-4412-R12/25	8
J-4412-RK	8
J-44-A	8

J-44-AK	8
J-44-R	8
J-44-RHK	8
J-44-RK	8
J-455-SC	16
J-480-A	19
J-480-R	19
J-485-A	4
J-485-R	4
J-5-AC	2
J-5-B	2
J-5-C	2
J-5-GC	2
J-5-RC	2
J-600	25
J-500-15-A	6
J-500-15-R	6
J-500-3B-A	23
J-500-3B-R	23
J-500-3W-A	23
J-500-3W-R	23
J-500-7WH	38
J-500-A	17
J-500-GA	17
J-500-GR	17
J-500-R	17
J-5024-WH	37
J-5025-WH	37
J-505-BZ-B	35
J-505-BZ-C	35
J-505-GM	34
J-5067-WH	38
J-5085-R	11
J-5086-WH	38
J-5087-WH	38
J-508-R	23
J-5097-WH	38
J-5107-WH	38
J-510-A	5
J-510-AC	5
J-510-ACS	5
J-510-AS	5
J-510-FML	5
J-510-FMR	5
J-510-R	5
J-510-RC	5
J-510-RCS	5
J-510-RS	5
J-5117-WH	38
J-511-A	5
J-511-ACS	5

J-511-AS	5
J-511-R	5
J-511-RCS	5
J-511-RS	5
J-5124-WH	38
J-5127-WH	38
J-5157-WH	38
J-515-A	5
J-515-AC	5
J-515-CC	5
J-515-R	5
J-515-RC	5
J-51-A	2
J-51-C	2
J-51-ID	2
J-51-R	2
J-51-RC	2
J-5214-WH	37
J-5224-WH	37
J-5257-WH	38
J-526-15-A	6
J-526-15-R	6
J-5265-A	6
J-5265-R	6
J-526-A	17
J-526-R	17
J-52-FML	6
J-52-FMR	6
J-5324-WH	37
J-5325-WH	37
J-5353-A3	11
J-5353-AC	11
J-5353-R3	11
J-5353-RC	11
J-5354-R	11
J-5354-RC	11
J-535-A	9
J-535-AC	9
J-535-BZC	9
J-535-C	9
J-535-R	9
J-535-RC	9
J-536	9
J-53-A	2
J-53-C	2
J-53-R	2
J-54025-WH	37
J-541	32
J-54525-WH	37
J-54-A	2
J-54-A24	2



J-54-AC	2	J-573-BRK-B	36	J-625-A	4
J-54-BZC	35	J-573-BRK-C	6	J-625-R	4
J-54-GM	2/34	J-573-BRKG-B	36	J-626-15-A	6
J-54-GMS	34	J-573-BRKG-C	36	J-626-15-R	6
J-54-R	2	J-573-C	18	J-626-A	19
J-54-R24	2	J-573-GM	34	J-626-AB	19
J-54-RC	2	J-573-GMN	34	J-626-GM	NOT IN CATALOG
J-550-15-A	6	J-573-R	8	J-626-R	19
J-550-15-R	6	J-573-RK	18	J-626-RB	19
J-5505-A	6	J-573-SMA	18	J-6325-WH	38
J-5505-R	6	J-573-SMR	18	J-63-A	21
J-550-A	17	J-573-WH	37	J-63-AK	21
J-550-R	17	J-5765-A	6	J-64525-WH	38
J-5524-WH	37	J-5765-AC	6	J-64-A	7
J-5525-WH	37	J-5765-AR	6	J-64-AK	7
J-555-A	11	J-5765-AR/FM	6	J-64-FA	7
J-555-AC	11	J-5765-ARC	6	J-65-BZB	35
J-555-R	11	J-5765-ARC-FM	6	J-65-BZC	35
J-555-RC	11	J-5765-R	6	J-6525-WH	38
J-55-A	2	J-5765-RC	6	J-656-A	7
J-55-AC	2	J-576-A	18	J-656-FR	7
J-55-BC	2	J-576-A/R	18	J-656-FRC	7
J-55-C	2	J-576-A/R-FM	18	J-656-R	7
J-55-GC	2	J-576-BRK	36	J-656-RC	7
J-55-R	2	J-576-BRK-B1	36	J-656-RK	7
J-55-RC	2	J-576-BRK-B2	36	J-6625-A	7
J-5695-R	11	J-576-BRK-C1	36	J-6625-FA	7
J-569-A	23	J-576-BRK-C2	36	J-6625-FR	7
J-569-R	23	J-576-FM	36	J-6625-FRC	7
J-569-WH	NOT IN CATALOG	J-576-P2	36/37	J-6625-R	7
J-56-A	2	J-576-R	18	J-6625-RC	7
J-56-R	2	J-585-SA	5	J-66-A	7
J-5725-L	NOT IN CATALOG	J-585-SR	5	J-66-A12/24	NOT IN CATALOG
J-5725-R	NOT IN CATALOG	J-6000-TDR	41	J-66-AC	7
J-572-L	18	J-6000-TDZ	41	J-66-ACK	7
J-572-R	18	J-6025-WH	38	J-66-AK	7
J-573-3B-R	23	J-605	26	J-66-C	7
J-573-3S-R	23	J-60-A	21	J-66-C12/24	NOT IN CATALOG
J-573-3W-R	23	J-60-ADP	37	J-66-CK	7
J-5735-3B-R	11	J-60-AK	21	J-66-FA	7
J-5735-3S-R	11	J-60-BRK	21/35	J-66-FAC	7
J-5735-3W-R	11	J-60-C	21	J-66-FC	7
J-5735-A	6	J-60-CK	21	J-66-FR	7
J-5735-AK	NOT IN CATALOG	J-60-GM	34	J-66-FRC	7
J-5735-C	6	J-60-R	21	J-66-R	7
J-5735-R	6	J-60-RK	21	J-66-R12/24	NOT IN CATALOG
J-5735-SA	6	J-60-WH	37	J-66-RC	7
J-5735-SR	6	J-61-R	21	J-66-RCK	7
J-573-A	18	J-61-RK	21	J-66-RH	7
J-573-AGC	36	J-625-15-A	6	J-66-RK	7
J-573-AK	18	J-625-15-R	6	J-67-A	7

Index

J-67-AK	7
J-67-C	7
J-67-CK	7
J-67-FR	7
J-67-FRC	7
J-67-R	7
J-67-RH	7
J-67-RK	7
J-70	22
J-7007-WH	38
J-7067-WH	38
J-7087-WH	38
J-70-KC	NOT IN CATALOG
J-70-L	22
J-71	10
J-7127-WH	38
J-71L	10
J-72	10
J-725-A	4
J-725-R	4
J-726-A	19
J-726-R	19
J-72-KC	12
J-72-L	10
J-73	22
J-73-KC	12
J-73-L	22
J-75	10
J-750-15-C	23
J-750-15-R	23
J-750-A	21
J-750-C	21
J-750-R	21
J-7525-R	8
J-752-R	21
J-755-AA	13
J-755-AR	13
J-755-RB	13
J-75-KC	12
J-75-L	10
J-762	26
J-801-WCB	37
J-801-WCW	37
J-80-SC	16
J-80-WC	16
J-84-A	9
J-84-R	9
J-855-1-C	32
J-855-C	32
J-856-1-C	32
J-856-C	32

J-85-A	9
J-85-C	9
J-85-R	9
J-86	25
J-88	25
J-89	25
J-90	22
J-90-15-R	23
J-90B	22
J-90BL	22
J-90-L	22
J-90L-15-R	23
J-90-R	22
J-90-RL	22
J-91	15
J-916	16
J-92	15
J-926	16
J-95-EC2B	NOT IN CATALOG
J-95-EC2C	26
J-96-15-A	23
J-96-15-C	23
J-96-BSA	15
J-96-WNC	15
J-97-15-A	23
J-97-15-C	23
J-97-BNA	15
J-97-WSC	15
J-99	25
J-995	26
J-995-BRK	26
J-995-BRK2	26
J-995-G2	24
J-99-B	25
J-99-BB0	35
J-99-BRK	25
J-99-BRK2	NOT IN CATALOG
J-AB1-15-A	23
J-AB1-15-B	23
J-AB1-15-R	23
J-AB1-AA	14
J-AB1-RB	14
J-AB2-L3	14
J-AB2-L4	14
J-AB2-R3	14
J-AB2-R4	14
J-AC1-15-A	23
J-AC1-15-B	23
J-AC1-15-R	23
J-AC1-AA	13
J-AC1-AA2D	NOT IN CATALOG

J-AC1-AA2F	NOT IN CATALOG
J-AC1-AA3F	NOT IN CATALOG
J-AC1-RB	13
J-AC1-RB2F	NOT IN CATALOG
J-AC1-RB3F	NOT IN CATALOG
J-AC2-L3	13
J-AC2-L4	13
J-AC2-R3	13
J-AC2-R4	13
J-AC2-WH4K	13
J-AEM	14
J-AEM-48	13
J-AG2-WH	14
J-AG3-WH	14
J-AG4-WH	14
J-AGM-WH	14
J-AGM-WH8	14
J-AGW-WH8	14
J-AGM-WH16	14
J-AGM-WH21	14
J-AGM-WH16	14
J-AGW-WH20	14
J-AGW-WH	14
J-AGX-WH3	14
J-ALS-6Y	28
J-AMK	13
J-B1	41
J-B15	41
J-B2	41
J-BBK	39
J-BBKL	39
J-BCH	40
J-BLB-G	33
J-BLB-R	33
J-BLC-G	33
J-BLC-R	33
J-BLW-G	33
J-BLW-R	33
J-BREK	40
J-BRTK	40
J-BWH	40
J-CRTK	40
J-D1	41
J-D2	41
J-D3	41
J-EA2	33
J-EA3	33
J-EC2	25
J-EC2C	25
J-EC2L	25
J-EC4	25



J-EC4B	25
J-EC5	26
J-EC5B	26
J-EC6	25
J-EC7	25
J-EC75	25
J-EC9	25
J-ELEC	40
J-FFT-6K	27
J-FFT-6Y	27
J-FFT-71Y	27
J-FFT-7K	27
J-FFT-7Y	27
J-FJK	39
J-FJKL	39
J-JB	38
J-JBC	38
J-LFB-L	26
J-LFB-LED	24
J-LFB-N	35
J-P1	41
J-P2	41
J-P3	41
J-PB201-A	17
J-PB201-R	17
J-PGR-9S	14
J-PGT-61Y	NOT IN CATALOG
J-PGT-6K	27
J-PGT-6Y	27
J-PGT-7K	27
J-PGT-7S	27
J-PGT-7Y	27
J-PGW-12Y	27
J-PGY-12Y	27
J-PGY-9S	14
J-QL	42
J-RFR-12Y	27
J-SBK	NOT IN CATALOG
J-TAP	40
J-TFT-68	27
J-TFT-6Y	27
J-TFT-74	27
J-TFT-7Y	27
J-TMK	39
J-TPR	42
J-TPZ	42
J-TRK	28
J-VID	11
L-99-JF	26
PL-500	29
PL-512	29

PL-612-F	29
PL-612-S	29
PL-645-F	29
PL-645-S	29
PL-700	29
PL-712	29
PL-732	29
PL-745	29
PL-845	29
SJ-94-C	26
SJ-EC-75	NOT IN CATALOG
T0018	48
T10	45
T11	45
T16	44
T16S	44
T19	45
T2	45
T203	45
T203A	45
T203AS	45
T203BP2000	45
T205AS	45
T2224	NOT IN CATALOG
T2BP2000	45
T3	47
T303A	45
T310	46
T310BP700	46
T312	46
T312BP500	46
T3303	NOT IN CATALOG
T38	46
T38BP1000	46
T4	NOT IN CATALOG
T412A	46
T4824	48
T492	46
T4BP1000	47
T5103A	47
T5103AHD	47
T5104	47
T5104BP225	47
T5124	47
T563A	47
T564	47
T583A	47
T583A40	47
T584	47
T585R	47
T585S	47

T586A	NOT IN CATALOG
T595R	47
T595S	47
T6024	NOT IN CATALOG
T652A	46
T652G	46
T-65-BRK	35
T672	46
T683	46
T7	45
T753L	47
T753R	47
T7BP3100	45
T9	45
TBH02	44
TBL36B	44
TBL36R	44
TBL45B	44
TBL45R	44
TBL56B	44
TBL56R	44
TDL01	44
TDL01B	44
TDL01C	44
TDL01G	44
TDL01P	44
TDL01R	44
TDL01W	44
TDL01Y	44
TDRH01	44
THSP	44
Toyota Lamp	26
TPB1H	48
TPB1HBP600	48
TPB1R	NOT IN CATALOG
TPB2H	48
TPFSL	48
TPFSR	48
TSJ	48
U-TRK	28
X-35-B	NOT IN CATALOG
X-45-B	NOT IN CATALOG
ZR-1-WH	NOT IN CATALOG

© 2017 Jammy, Inc. All rights Reserved.
All Registered Trademarks are the property of their respective owners.

2-6	LED Clearance/Marker Lamps
7-9	LED Stop/Turn/Tail Lamps
10	LED Combination Lamps
11	LED ID Bar Lights
12-13	Retail Lighting Kits
13-14	Agricultural Lighting
15-16	RV, Auxiliary and White Lighting
17-21	Clearance/Marker Lamps
21	Stop/Turn/Tail Lamps
22	Combination Lamps
23	ID Bar Lights
◀	Replacement Lenses
24-26	License Lamps
27-28	Reflectivity/Conspicuity
29-31	Work Lamps
32-33	Boating & Specialty Lights
34-36	Mounting Grommets and Brackets
37-38	Plugs, Wiring and Electronics
39-40	Breakaway Systems
41-42	Trailer Accessories and Hardware
43	Cargo Control (Hitch Balls, Locks, etc)
44	Trailer Door Parts
45-48	Trailer Assembly Components
49	Pinchless® Seat Hinges
50-56	Index



**Jammy
Incorporated**



**Certified
ISO 9001:2001**

800.537.3136

Jammy, Inc.
PO Box 471697
Fort Worth, Texas 76147
(817) 737-6566

info@jammyinc.com
jammyinc.com